

令和 7 年度 主要水道用品呼び径別検査実績

(令和 7 年 3 月～令和 8 年 2 月)

ダクタイル鋳鉄管

呼び径	員 数	質 量	構成比
	本	t	%
50	20,813	832.52	0.56
75	103,980	6,347.69	4.31
100	189,007	15,166.64	10.28
150	130,214	18,682.53	12.67
200	94,738	17,878.46	12.12
250	38,038	8,714.87	5.91
300	47,809	16,671.49	11.31
350	12,610	5,035.14	3.42
400	24,551	11,922.01	8.08
450	3,697	2,042.39	1.38
500	11,299	7,093.35	4.81
600	9,514	8,247.08	5.59
700	6,697	7,215.52	4.89
800	2,819	3,937.81	2.67
900	1,714	2,842.46	1.93
1000	852	1,346.36	0.91
1100	868	1,789.91	1.21
1200	12	28.72	0.02
1350	1,194	3,844.44	2.61
1500	219	876.44	0.59
1600	8	24.88	0.02
1650	6	29.90	0.02
1800	4	12.94	0.01
2000	800	4,760.98	3.23
2200	23	104.05	0.07
2400	219	2,040.27	1.38
計	701,705	147,488.84	100.00

ダクトイル鋳鉄直管ライニング部分

呼び径	員 数	質 量	構成比
	本	t	%
75	2,927	26.04	0.42
100	1,602	18.98	0.31
150	6,830	153.93	2.48
200	4,875	146.73	2.36
250	4,312	163.14	2.63
300	4,261	342.57	5.52
350	2,404	228.11	3.67
400	1,787	191.50	3.08
450	1,155	140.85	2.27
500	2,223	279.90	4.51
600	3,573	505.04	8.13
700	3,870	913.59	14.71
800	1,039	284.42	4.58
900	838	242.16	3.90
1,000	443	175.17	2.82
1,100	846	342.80	5.52
1,200	11	4.28	0.07
1,350	1,178	733.71	11.82
1,500	218	151.35	2.44
1,600	8	5.74	0.09
1,650	5	4.04	0.07
1,800	4	3.39	0.05
2,000	797	852.46	13.73
2,200	23	22.76	0.37
2,400	222	275.97	4.45
計	45,451	6,208.63	100.00

ダクトイル鋳鉄直管塗装（粉体塗装他）

呼び径	員 数	質 量	構成比
	本	t	%
50	19,719	788.72	0.69
75	100,972	6,124.23	5.35
100	189,074	15,163.64	13.25
150	122,834	17,767.15	15.53
200	88,335	16,722.53	14.62
250	32,825	7,610.76	6.65
300	43,494	15,259.88	13.34
350	10,059	4,056.63	3.55
400	22,599	11,045.09	9.65
450	2,564	1,466.11	1.28
500	9,008	5,654.94	4.94
600	5,727	5,201.44	4.55
700	2,845	3,020.05	2.64
800	1,837	2,518.00	2.20
900	867	1,493.51	1.31
1,000	420	495.37	0.43
1,100	6	13.16	0.01
1,350	2	8.46	0.01
計	653,187	114,409.68	100.00

塗 覆 装 鋼 管

呼び径	員 数	質 量	構成比
	本	t	%
50以下	-	-	-
80	2	0.07	0.01
100	1	0.07	0.01
150	28	2.62	0.06
200	20	2.70	0.06
250	4	0.71	0.01
300	19	4.04	0.08
350	154	64.42	1.37
400	57	17.42	0.37
450	123	73.92	1.57
500	40	17.08	0.36
600	5	2.46	0.05
700	24	17.48	0.37
800	250	172.40	3.66
900	641	500.83	10.64
1,000	408	444.98	9.45
1,100	620	829.96	17.63
1,200	72	85.94	1.82
1,350	71	141.85	3.01
1,400	73	127.51	2.71
1,500	88	137.76	2.93
1,600	72	195.54	4.15
1,650	118	569.01	12.08
1,800	78	250.77	5.33
1,900	5	16.37	0.35
2,000	42	142.25	3.02
2,100	120	749.43	15.92
2,300	6	13.82	0.29
2,400	1	5.79	0.12
2,800	3	15.44	0.33
2800超	17	105.58	2.24
計	3,162	4,708.22	100.00

亜鉛めっき鋼管

呼び径	員 数	質 量	構成比
	本	t	%
15	24,350	128.37	10.54
20	8,326	56.79	4.67
25	8,039	80.06	6.58
32	3,364	46.51	3.82
40	4,800	77.72	6.38
50	6,388	137.58	11.30
65	2,004	63.22	5.19
80	3,500	125.74	10.33
100	2,252	112.29	9.23
125	430	35.48	2.91
150	1,099	119.79	9.84
200	633	105.08	8.63
250	198	46.15	3.79
300	84	24.52	2.01
350超	153	58.13	4.78
計	65,620	1,217.43	100.00

ポリエチレン粉体ライニング鋼管

呼び径	員 数	質 量	構成比
	本	t	%
15	4,939	25.88	4.04
20	19,863	133.47	20.86
25	5,863	56.99	8.91
32	3,933	53.10	8.30
40	4,127	64.37	10.06
50	5,985	126.88	19.83
65	2,322	69.42	10.85
80	2,517	88.60	13.85
100	135	6.59	1.03
125超	34	14.59	2.28
計	49,718	639.89	100.00

ポリエチレン管類

呼び径	員 数	質 量	構成比
	本	t	%
40	4	0.15	8.20
100	1	0.01	0.54
300	17	1.67	91.26
計	22	1.83	100.00

水道配水用ポリエチレン管

呼び径	員 数	質 量	構成比
	本	t	%
50	258,656	1,379.19	10.46
75	219,384	2,458.64	18.65
100	190,559	4,191.21	31.79
150	88,724	3,980.98	30.20
200超	13,613	1,173.45	8.90
計	770,936	13,183.47	100.00

ステンレス鋼管

呼び径	員 数	質 量	構成比
	本	t	%
13	586	0.72	0.20
20	20,656	51.90	14.00
25	21,044	68.13	18.38
30	1,662	6.69	1.80
32	10	0.11	0.03
40	2,948	15.04	4.06
50	9,242	53.97	14.56
60	218	6.58	1.77
100	362	15.13	4.08
125	52	4.02	1.08
150	345	26.27	7.09
200	177	18.12	4.89
250	77	10.10	2.72
300	206	32.41	8.74
350	63	11.79	3.18
400	62	14.88	4.01
450	9	3.70	1.00
500	44	18.48	4.99
600	13	6.49	1.75
700	2	1.84	0.50
1100超	2	4.33	1.17
計	57,780	370.70	100.00

ゴム輪形硬質塩化ビニル管

呼び径	員 数	質 量	構成比
	本	t	%
40	918	3.67	0.20
50	30,448	174.88	9.40
75	33,213	374.33	20.12
100	27,638	496.17	26.67
125	2,768	64.77	3.48
150	15,163	494.87	26.60
200	2,387	134.26	7.21
250	573	48.77	2.62
300	564	68.84	3.70
計	113,672	1,860.56	100.00

硬質塩化ビニルライニング鋼管

呼び径	員 数	質 量	構成比
	本	t	%
65	33,163	991.59	37.15
80	28,604	1,006.90	37.73
100	9,956	485.87	18.20
125	1,137	68.22	2.56
150	1,508	116.28	4.36
計	74,368	2,668.86	100.00

弁 類

呼び径	仕切弁		ソフトシール仕切弁		バタフライ弁		空気弁		補修弁		消火栓	
	員 数	構成比	員 数	構成比	員 数	構成比	員 数	構成比	員 数	構成比	員 数	構成比
	個	%	個	%	個	%	個	%	個	%	個	%
13	-	-	-	-	-	-	267	1.78	-	-	-	-
20	-	-	-	-	-	-	698	4.67	-	-	20	0.07
25	-	-	-	-	-	-	8,351	55.84	-	-	-	-
40	1,327	3.81	-	-	-	-	-	-	-	-	-	-
50	7,752	22.27	23,587	17.49	-	-	38	0.25	30	0.10	141	0.56
65	55	0.16	155	0.12	6	0.17	-	-	-	-	-	-
75	9,721	27.93	43,686	32.39	1	0.03	4,274	28.58	29,871	95.72	24,569	97.21
80	3	0.01	-	-	22	0.62	360	2.41	-	-	-	-
100	6,088	17.49	32,470	24.07	78	2.20	603	4.03	1,021	3.27	544	2.15
125	171	0.49	343	0.25	9	0.25	1	0.01	-	-	-	-
150	4,922	14.14	19,262	14.28	168	4.73	305	2.04	269	0.86	-	-
200	2,146	6.17	8,194	6.07	281	7.91	58	0.39	17	0.05	1	0.01
250	838	2.41	2,711	2.01	207	5.83	-	-	-	-	-	-
300	899	2.58	3,100	2.30	279	7.85	-	-	-	-	-	-
350	291	0.84	602	0.45	241	6.78	-	-	-	-	-	-
400	294	0.84	680	0.50	502	14.13	-	-	-	-	-	-
450	68	0.20	36	0.03	160	4.50	-	-	-	-	-	-
500	135	0.39	56	0.04	453	12.75	-	-	-	-	-	-
600	53	0.15	-	-	433	12.19	-	-	-	-	-	-
700	18	0.05	-	-	190	5.35	-	-	-	-	-	-
800	12	0.03	-	-	164	4.62	-	-	-	-	-	-
900	5	0.01	-	-	99	2.79	-	-	-	-	-	-
1,000	4	0.01	-	-	90	2.53	-	-	-	-	-	-
1,100	-	-	-	-	28	0.79	-	-	-	-	-	-
1,200	-	-	-	-	35	1.00	-	-	-	-	-	-
1,350	1	0.01	-	-	37	1.04	-	-	-	-	-	-
1,400	-	-	-	-	1	0.03	-	-	-	-	-	-
1,500	1	0.01	-	-	37	1.04	-	-	-	-	-	-
1,600	-	-	-	-	-	-	-	-	-	-	-	-
1,650	-	-	-	-	9	0.25	-	-	-	-	-	-
1,800	-	-	-	-	11	0.31	-	-	-	-	-	-
2,000	-	-	-	-	9	0.25	-	-	-	-	-	-
2,200	-	-	-	-	1	0.03	-	-	-	-	-	-
2,400	-	-	-	-	-	-	-	-	-	-	-	-
2,600	-	-	-	-	1	0.03	-	-	-	-	-	-
2,800	-	-	-	-	-	-	-	-	-	-	-	-
3,000	-	-	-	-	-	-	-	-	-	-	-	-
計	34,804	100.00	134,882	100.00	3,552	100.00	14,955	100.00	31,208	100.00	25,275	100.00

※1 質量は小数点以下第三位を四捨五入。

※2 構成比は弁類を除き質量比を表し、小数点以下第三位を四捨五入。