

水 質 項 目		計	区 分										
一般細菌	全体	6,074	0	～10	～20	～30	～40	～50	～60	～70	～80	～100	101～
	表流水	1,108	5,810	256	2	4	0	0	0	0	0	0	2
	ダム湖沼	281	1,045	61	1	1	0	0	0	0	0	0	0
	地下水	3,194	270	9	0	0	0	0	0	0	0	0	2
	その他	1,491	3,064	126	1	3	0	0	0	0	0	0	0
大腸菌(定性)	全体	6,074	陰性	陽性									
	表流水	1,108	6,074	0									
	ダム湖沼	281	1,108	0									
	地下水	3,194	281	0									
	その他	1,491	3,194	0									
カドミウム及びその化合物	全体	5,582	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	1,033	5,578	0	4	0	0	0	0	0	0	0	0
	ダム湖沼	251	1,031	0	2	0	0	0	0	0	0	0	0
	地下水	2,930	251	0	0	0	0	0	0	0	0	0	0
	その他	1,368	2,928	0	2	0	0	0	0	0	0	0	0
水銀及びその化合物	全体	5,467	～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	表流水	987	5,463	1	1	0	0	0	0	0	0	2	0
	ダム湖沼	242	986	0	1	0	0	0	0	0	0	0	0
	地下水	2,902	242	0	0	0	0	0	0	0	0	0	0
	その他	1,336	2,900	1	0	0	0	0	0	0	0	1	0
セレン及びその化合物	全体	5,548	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	1,028	5,545	1	0	0	0	0	0	0	0	2	0
	ダム湖沼	248	1,028	0	0	0	0	0	0	0	0	0	0
	地下水	2,920	248	0	0	0	0	0	0	0	0	0	0
	その他	1,352	2,917	1	0	0	0	0	0	0	0	2	0
鉛及びその化合物	全体	5,713	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	1,068	5,706	7	6	5	4	3	2	1	0	1	0
	ダム湖沼	273	1,049	11	5	1	1	1	0	0	0	0	0
	地下水	2,972	270	1	0	2	0	0	0	0	0	0	0
	その他	1,400	2,885	62	14	4	3	3	0	0	0	1	0
ヒ素及びその化合物	全体	5,604	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	1,031	5,129	224	102	54	30	17	16	5	23	4	0
	ダム湖沼	250	992	20	10	2	2	1	1	0	2	1	0
	地下水	2,952	245	3	1	1	0	0	0	0	0	0	0
	その他	1,371	2,598	163	72	46	24	13	9	5	19	3	0
六価クロム化合物	全体	5,658	～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	表流水	1,050	5,656	1	0	0	0	0	0	0	0	1	0
	ダム湖沼	264	1,049	0	0	0	0	0	0	0	0	1	0
	地下水	2,950	264	0	0	0	0	0	0	0	0	0	0
	その他	1,394	2,949	1	0	0	0	0	0	0	0	0	0
亜硝酸態窒素	全体	5,906	～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	表流水	1,070	5,852	50	2	0	0	0	0	0	0	2	0
	ダム湖沼	272	1,056	14	0	0	0	0	0	0	0	0	0
	地下水	3,114	272	0	0	0	0	0	0	0	0	0	0
	その他	1,450	3,090	22	1	0	0	0	0	0	0	1	0
シアン化物イオン及び塩化シアン	全体	6,063	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	1,107	6,060	3	0	0	0	0	0	0	0	0	0
	ダム湖沼	281	1,107	0	0	0	0	0	0	0	0	0	0
	地下水	3,187	281	0	0	0	0	0	0	0	0	0	0
	その他	1,488	3,184	3	0	0	0	0	0	0	0	0	0
硝酸態窒素及び亜硝酸態窒素	全体	5,825	～0.50	～1.00	～2.00	～3.00	～4.00	～5.00	～6.00	～7.00	～8.00	～10.00	10.01～
	表流水	1,065	2,586	1,491	1,059	369	151	83	51	24	10	1	0
	ダム湖沼	265	604	321	104	32	3	1	0	0	0	0	0
	地下水	3,076	184	67	12	2	0	0	0	0	0	0	0
	その他	1,419	1,043	778	710	261	129	76	44	24	10	1	0
フッ素及びその化合物	全体	5,726	～0.08	～0.16	～0.24	～0.32	～0.40	～0.48	～0.56	～0.64	～0.72	～0.80	0.81～
	表流水	1,052	4,292	1,117	181	67	24	17	8	5	3	12	0
	ダム湖沼	260	879	142	17	5	3	4	1	0	0	1	0
	地下水	3,018	215	39	4	2	0	0	0	0	0	0	0
	その他	1,396	2,111	667	131	55	18	13	5	5	3	10	0
ホウ素及びその化合物	全体	5,578	～0.1	～0.2	～0.3	～0.4	～0.5	～0.6	～0.7	～0.8	～0.9	～1.0	1.1～
	表流水	1,028	5,443	78	20	19	10	3	2	2	0	1	0
	ダム湖沼	249	1,012	9	3	0	2	0	1	0	0	1	0
	地下水	2,941	246	2	0	1	0	0	0	0	0	0	0
	その他	1,360	2,856	48	15	13	5	2	0	2	0	0	0
四塩化炭素	全体	5,540	～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
	表流水	1,024	5,535	0	0	0	0	0	0	0	0	5	0
	ダム湖沼	246	1,024	0	0	0	0	0	0	0	0	0	0
	地下水	2,919	246	0	0	0	0	0	0	0	0	0	0
	その他	1,351	2,914	0	0	0	0	0	0	0	0	5	0
1,4-ジオキサン	全体	5,506	～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	表流水	1,008	5,502	1	1	0	0	0	0	0	0	2	0
	ダム湖沼	244	1,006	1	0	0	0	0	0	0	0	1	0
	地下水	2,911	244	0	0	0	0	0	0	0	0	0	0
	その他	1,343	2,909	0	1	0	0	0	0	0	0	1	0
ジネー1,2-ジクロロエチレン及びトランス-1,2-ジクロロエチレン	全体	5,555	～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	表流水	1,028	5,552	2	1	0	0	0	0	0	0	0	0
	ダム湖沼	248	1,028	0	0	0	0	0	0	0	0	0	0
	地下水	2,923	248	0	0	0	0	0	0	0	0	0	0
	その他	1,356	2,920	2	1	0	0	0	0	0	0	0	0
ジクロロメタン	全体	5,541	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	1,025	5,540	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	246	1,025	0	0	0	0	0	0	0	0	0	0
	地下水	2,919	246	0	0	0	0	0	0	0	0	0	0
	その他	1,351	2,918	1	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
テトラクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	5,543	5,532	2	2	0	7	0	0	0	0	0	0
	表流水	1,025	1,024	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	246	246	0	0	0	0	0	0	0	0	0	0
	地下水	2,921	2,912	2	2	0	5	0	0	0	0	0	0
	その他	1,351	1,350	0	0	0	1	0	0	0	0	0	0
トリクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	5,562	5,539	16	5	1	1	0	0	0	0	0	0
	表流水	1,025	1,023	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	247	247	0	0	0	0	0	0	0	0	0	0
	地下水	2,933	2,913	13	5	1	1	0	0	0	0	0	0
	その他	1,357	1,356	1	0	0	0	0	0	0	0	0	0
ベンゼン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	5,541	5,540	1	0	0	0	0	0	0	0	0	0
	表流水	1,024	1,024	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	246	246	0	0	0	0	0	0	0	0	0	0
	地下水	2,919	2,918	1	0	0	0	0	0	0	0	0	0
	その他	1,352	1,352	0	0	0	0	0	0	0	0	0	0
塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	6,062	4,589	1,047	289	85	32	14	3	0	1	1	1
	表流水	1,107	743	271	64	14	8	6	0	0	0	0	1
	ダム湖沼	281	137	94	39	8	3	0	0	0	0	0	0
	地下水	3,186	2,521	445	136	55	18	6	3	0	1	1	0
	その他	1,488	1,188	237	50	8	3	2	0	0	0	0	0
クロロ酢酸			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	6,063	6,052	8	2	0	0	0	0	0	0	1	0
	表流水	1,107	1,103	3	1	0	0	0	0	0	0	0	0
	ダム湖沼	281	280	1	0	0	0	0	0	0	0	0	0
	地下水	3,187	3,184	2	0	0	0	0	0	0	0	1	0
	その他	1,488	1,485	2	1	0	0	0	0	0	0	0	0
クロロホルム			～0.006	～0.012	～0.018	～0.024	～0.030	～0.036	～0.042	～0.048	～0.056	～0.060	0.061～
	全体	6,064	4,495	1,065	357	100	36	8	1	1	0	1	0
	表流水	1,107	583	339	120	47	15	3	0	0	0	0	0
	ダム湖沼	281	96	105	40	25	13	1	1	0	0	0	0
	地下水	3,187	2,902	207	55	15	6	1	0	1	0	0	0
	その他	1,489	914	414	142	13	2	3	0	0	0	1	0
ジクロロ酢酸			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	6,064	5,493	463	77	27	2	2	0	0	0	0	0
	表流水	1,107	856	202	39	10	0	0	0	0	0	0	0
	ダム湖沼	281	199	45	21	13	2	1	0	0	0	0	0
	地下水	3,187	3,100	79	8	0	0	0	0	0	0	0	0
	その他	1,489	1,338	137	9	4	0	1	0	0	0	0	0
ジブromクロロメタン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	6,064	5,938	84	22	8	7	3	2	0	0	0	0
	表流水	1,107	1,085	14	5	1	1	0	1	0	0	0	0
	ダム湖沼	281	267	4	6	4	0	0	0	0	0	0	0
	地下水	3,187	3,144	33	7	1	1	1	0	0	0	0	0
	その他	1,489	1,442	33	4	2	5	2	1	0	0	0	0
臭素酸			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	6,063	5,990	57	8	6	1	0	0	0	0	1	0
	表流水	1,107	1,095	9	3	0	0	0	0	0	0	0	0
	ダム湖沼	281	277	3	1	0	0	0	0	0	0	0	0
	地下水	3,186	3,157	22	1	4	1	0	0	0	0	1	0
	その他	1,489	1,461	23	3	2	0	0	0	0	0	0	0
総トリハロメタン			～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	全体	6,064	3,965	1,314	554	175	41	8	3	3	0	1	0
	表流水	1,107	450	425	164	57	11	0	0	0	0	0	0
	ダム湖沼	281	66	113	63	26	9	1	0	2	0	1	0
	地下水	3,187	2,697	329	109	35	8	5	3	1	0	0	0
	その他	1,489	752	447	218	57	13	2	0	0	0	0	0
トリクロロ酢酸			～0.020	～0.040	～0.060	～0.080	～0.100	～0.120	～0.140	～0.160	～0.180	～0.200	0.201～
	全体	6,064	6,044	18	1	1	0	0	0	0	0	0	0
	表流水	1,107	1,096	11	0	0	0	0	0	0	0	0	0
	ダム湖沼	281	276	4	1	0	0	0	0	0	0	0	0
	地下水	3,187	3,186	1	0	0	0	0	0	0	0	0	0
	その他	1,489	1,486	2	0	1	0	0	0	0	0	0	0
ブromジクロロメタン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	6,064	4,217	1,158	510	132	30	10	1	2	2	2	0
	表流水	1,107	556	362	135	42	9	3	0	0	0	0	0
	ダム湖沼	281	76	104	72	15	7	4	0	0	2	1	0
	地下水	3,187	2,749	292	102	32	6	2	1	2	0	1	0
	その他	1,489	836	400	201	43	8	1	0	0	0	0	0
ブromホルム			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	6,064	6,016	41	6	1	0	0	0	0	0	0	0
	表流水	1,107	1,097	8	2	0	0	0	0	0	0	0	0
	ダム湖沼	281	277	4	0	0	0	0	0	0	0	0	0
	地下水	3,187	3,167	16	3	1	0	0	0	0	0	0	0
	その他	1,489	1,475	13	1	0	0	0	0	0	0	0	0
ホルムアルデヒド			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	6,063	6,033	26	3	1	0	0	0	0	0	0	0
	表流水	1,107	1,100	5	1	1	0	0	0	0	0	0	0
	ダム湖沼	281	281	0	0	0	0	0	0	0	0	0	0
	地下水	3,186	3,175	10	1	0	0	0	0	0	0	0	0
	その他	1,489	1,477	11	1	0	0	0	0	0	0	0	0
亜鉛及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	5,672	5,505	74	36	18	32	5	1	1	0	0	0
	表流水	1,055	1,036	8	7	3	1	0	0	0	0	0	0
	ダム湖沼	265	264	1	0	0	0	0	0	0	0	0	0
	地下水	2,958	2,845	45	22	11	28	5	1	1	0	0	0
	その他	1,394	1,360	20	7	4	3	0	0	0	0	0	0
アルミニウム及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	5,768	4,766	675	213	62	25	13	9	2	3	0	0
	表流水	1,084	797	181	59	26	10	5	4	1	1	0	0
	ダム湖沼	276	180	56	32	3	4	0	0	0	1	0	0
	地下水	2,998	2,737	167	50	24	8	6	4	1	1	0	0
	その他	1,410	1,052	271	72	9	3	2	1	0	0	0	0
鉄及びその化合物			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	5,743	5,579	122	28	6	5	3	0	0	0	0	0
	表流水	1,077	1,051	20	4	1	1	0	0	0	0	0	0
	ダム湖沼	273	265	8	0	0	0	0	0	0	0	0	0
	地下水	2,989	2,890	71	20	4	2	2	0	0	0	0	0
	その他	1,404	1,373	23	4	1	2	1	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
銅及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	5,667	5,531	67	14	8	42	4	1	0	0	0	0
	表流水	1,055	1,047	5	0	0	2	1	0	0	0	0	0
	ダム湖沼	268	265	1	1	0	0	1	0	0	0	0	0
	地下水	2,950	2,841	48	13	7	38	2	1	0	0	0	0
	その他	1,394	1,378	13	0	1	2	0	0	0	0	0	0
ナトリウム及びその化合物			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	5,608	1,063	2,481	1,582	419	52	8	3	0	0	0	0
	表流水	1,041	280	460	254	46	1	0	0	0	0	0	0
	ダム湖沼	251	24	141	59	25	2	0	0	0	0	0	0
	地下水	2,935	406	1,286	943	246	44	8	2	0	0	0	0
	その他	1,381	353	594	326	102	5	0	1	0	0	0	0
マンガン及びその化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	5,693	5,616	58	10	5	2	0	0	0	0	2	0
	表流水	1,060	1,054	5	0	1	0	0	0	0	0	0	0
	ダム湖沼	269	268	1	0	0	0	0	0	0	0	0	0
	地下水	2,967	2,904	46	10	4	2	0	0	0	0	1	0
	その他	1,397	1,390	6	0	0	0	0	0	0	0	1	0
塩化物イオン			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	6,074	1,715	2,086	1,643	541	67	12	4	3	3	0	0
	表流水	1,108	311	358	336	98	5	0	0	0	0	0	0
	ダム湖沼	281	26	74	142	30	7	1	0	0	1	0	0
	地下水	3,194	928	1,158	818	232	41	9	3	3	2	0	0
	その他	1,491	450	496	347	181	14	2	1	0	0	0	0
カルシウム、マグネシウム等(硬度)			～10	～20	～30	～50	～80	～100	～150	～200	～250	～300	301～
	全体	5,795	164	647	927	1,863	1,543	390	204	44	11	2	0
	表流水	1,052	54	227	223	341	162	26	19	0	0	0	0
	ダム湖沼	258	21	41	64	85	31	12	3	1	0	0	0
	地下水	3,064	67	140	330	996	1,066	272	151	33	7	2	0
	その他	1,421	22	239	310	441	284	80	31	10	4	0	0
蒸発残 留物			～30	～50	～100	～150	～200	～250	～300	～350	～400	～500	501～
	全体	5,806	99	404	2,481	1,656	811	255	65	13	17	5	0
	表流水	1,041	27	152	589	196	57	18	2	0	0	0	0
	ダム湖沼	261	5	23	169	32	20	9	2	1	0	0	0
	地下水	3,082	48	74	1,036	1,118	549	178	51	11	13	4	0
	その他	1,422	19	155	687	310	185	50	10	1	4	1	0
陰イオン界面 活性剤			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	5,454	5,454	0	0	0	0	0	0	0	0	0	0
	表流水	970	970	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	243	243	0	0	0	0	0	0	0	0	0	0
	地下水	2,898	2,898	0	0	0	0	0	0	0	0	0	0
	その他	1,343	1,343	0	0	0	0	0	0	0	0	0	0
ジオスミン			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	5,635	5,299	198	113	14	7	4	0	0	0	0	0
	表流水	1,058	942	78	27	8	2	1	0	0	0	0	0
	ダム湖沼	275	222	23	25	3	1	1	0	0	0	0	0
	地下水	2,911	2,862	29	17	2	1	0	0	0	0	0	0
	その他	1,391	1,273	68	44	1	3	2	0	0	0	0	0
2－メチルイソボルネオール			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	5,635	5,572	52	8	0	1	2	0	0	0	0	0
	表流水	1,059	1,031	24	3	0	1	0	0	0	0	0	0
	ダム湖沼	275	272	2	1	0	0	0	0	0	0	0	0
	地下水	2,910	2,898	11	1	0	0	0	0	0	0	0	0
	その他	1,391	1,371	15	3	0	0	2	0	0	0	0	0
非イオン界面 活性剤			～0.005	～0.006	～0.007	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	5,599	5,595	2	0	0	1	1	0	0	0	0	0
	表流水	983	983	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	250	250	0	0	0	0	0	0	0	0	0	0
	地下水	2,998	2,995	1	0	0	1	1	0	0	0	0	0
	その他	1,368	1,367	1	0	0	0	0	0	0	0	0	0
フェノール類			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	5,431	5,428	1	0	0	0	0	0	0	0	2	0
	表流水	969	969	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	239	239	0	0	0	0	0	0	0	0	0	0
	地下水	2,891	2,888	1	0	0	0	0	0	0	0	2	0
	その他	1,332	1,332	0	0	0	0	0	0	0	0	0	0
有機物 (TOCの量)			～0.5	0.6	0.7	0.8	0.9	1	～2.0	～3.0	～4.0	～5.0	5.1～
	全体	6,073	4,772	452	308	216	135	83	107	0	0	0	0
	表流水	1,108	712	152	87	60	35	20	42	0	0	0	0
	ダム湖沼	281	97	32	46	30	22	16	38	0	0	0	0
	地下水	3,193	2,907	121	69	39	19	22	16	0	0	0	0
	その他	1,491	1,056	147	106	87	59	25	11	0	0	0	0
pH値			～5.8	～6.0	～6.3	～6.6	～6.9	～7.2	～7.5	～7.8	～8.2	～8.6	8.7～
	全体	6,074	133	0	31	235	715	1,450	1,924	1,105	434	47	0
	表流水	1,108	11	0	0	7	68	312	474	198	36	2	0
	ダム湖沼	281	3	0	0	2	21	91	126	37	1	0	0
	地下水	3,194	95	0	28	204	512	745	717	531	322	40	0
	その他	1,491	24	0	3	22	114	302	607	339	75	5	0
味の異 常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	6,064	6,063	1	0	0	0	0	0	0	0	0	0
	表流水	1,106	1,105	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	280	280	0	0	0	0	0	0	0	0	0	0
	地下水	3,187	3,187	0	0	0	0	0	0	0	0	0	0
	その他	1,491	1,491	0	0	0	0	0	0	0	0	0	0
臭気の 異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	6,063	6,054	5	0	2	1	0	0	1	0	0	0
	表流水	1,107	1,102	3	0	1	1	0	0	0	0	0	0
	ダム湖沼	280	279	1	0	0	0	0	0	0	0	0	0
	地下水	3,187	3,184	1	0	1	0	0	0	1	0	0	0
	その他	1,489	1,489	0	0	0	0	0	0	0	0	0	0
色 度			～0.5	～1.0	～1.5	～2.0	～2.5	～3.0	～3.5	～4.0	～4.5	～5.0	5.1～
	全体	6,074	5,597	380	65	19	8	2	2	1	0	0	0
	表流水	1,108	960	112	29	4	2	0	1	0	0	0	0
	ダム湖沼	281	257	21	1	2	0	0	0	0	0	0	0
	地下水	3,194	2,958	188	29	10	5	2	1	1	0	0	0
	その他	1,491	1,422	59	6	3	1	0	0	0	0	0	0
濁 度			～0.1	～0.2	～0.4	～0.6	～0.8	～1.0	～1.2	～1.4	～1.6	～2.0	2.1～
	全体	6,074	5,939	102	20	9	1	2	1	0	0	0	0
	表流水	1,108	1,081	20	6	1	0	0	0	0	0	0	0
	ダム湖沼	281	278	1	0	0	1	0	1	0	0	0	0
	地下水	3,194	3,110	63	12	7	0	2	0	0	0	0	0
	その他	1,491	1,470	18	2	1	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
アンチモン及びその化合物	全体	2,088	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	448	2,086	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	448	0	0	0	0	0	0	0	0	0	0
	地下水	1,020	1,018	2	0	0	0	0	0	0	0	0	0
	その他	491	491	0	0	0	0	0	0	0	0	0	0
ウラン及びその化合物	全体	2,057	～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
	表流水	437	2,022	25	6	0	2	0	0	1	1	0	0
	ダム湖沼	120	436	1	0	0	0	0	0	0	0	0	0
	地下水	1,013	119	1	0	0	0	0	0	0	0	0	0
	その他	487	984	21	5	0	1	0	0	1	1	0	0
ニッケル及びその化合物	全体	2,322	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	496	2,311	9	1	0	0	1	0	0	0	0	0
	ダム湖沼	151	494	2	0	0	0	0	0	0	0	0	0
	地下水	1,110	151	0	0	0	0	0	0	0	0	0	0
	その他	565	1,102	6	1	0	0	1	0	0	0	0	0
1,2-ジクロロエタン	全体	2,026	～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	表流水	433	2,026	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	117	433	0	0	0	0	0	0	0	0	0	0
	地下水	999	117	0	0	0	0	0	0	0	0	0	0
	その他	477	999	0	0	0	0	0	0	0	0	0	0
トルエン	全体	2,052	～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	表流水	434	2,052	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	118	434	0	0	0	0	0	0	0	0	0	0
	地下水	1,025	118	0	0	0	0	0	0	0	0	0	0
	その他	475	1,025	0	0	0	0	0	0	0	0	0	0
フタル酸ジ(2-エチルヘキシル)	全体	1,817	～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	表流水	357	1,814	3	0	0	0	0	0	0	0	0	0
	ダム湖沼	110	357	0	0	0	0	0	0	0	0	0	0
	地下水	907	110	1	0	0	0	0	0	0	0	0	0
	その他	443	906	1	0	0	0	0	0	0	0	0	0
亜塩素酸	全体	1,151	～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	表流水	266	1,150	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	102	266	0	0	0	0	0	0	0	0	0	0
	地下水	629	102	0	0	0	0	0	0	0	0	0	0
	その他	154	628	0	1	0	0	0	0	0	0	0	0
二酸化塩素	全体	584	～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	表流水	101	584	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	101	0	0	0	0	0	0	0	0	0	0
	地下水	376	29	0	0	0	0	0	0	0	0	0	0
	その他	78	376	0	0	0	0	0	0	0	0	0	0
ジクロロアセトニトリル	全体	2,527	～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	表流水	555	2,510	17	0	0	0	0	0	0	0	0	0
	ダム湖沼	170	550	5	0	0	0	0	0	0	0	0	0
	地下水	1,222	163	7	0	0	0	0	0	0	0	0	0
	その他	580	1,219	3	0	0	0	0	0	0	0	0	0
抱水クロラール	全体	2,535	～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	表流水	557	2,170	261	73	22	7	0	2	0	0	0	0
	ダム湖沼	173	436	79	29	6	6	0	1	0	0	0	0
	地下水	1,224	117	37	13	5	1	0	0	0	0	0	0
	その他	581	1,167	44	9	3	0	1	0	0	0	0	0
農薬類	全体	708	～0.01	～0.02	～0.03	～0.05	～0.10	～0.20	～0.30	～0.50	～0.70	～1.00	1.01～
	表流水	148	704	0	0	1	2	1	0	0	0	0	0
	ダム湖沼	35	147	0	0	1	0	0	0	0	0	0	0
	地下水	386	35	0	0	0	0	0	0	0	0	0	0
	その他	139	384	0	0	0	2	0	0	0	0	0	0
残留塩素	全体	5,937	<0.1	0.1	0.2	0.3	0.4	0.5	0.6	～0.8	～1.0	～1.2	1.3～
	表流水	1,076	187	186	1,199	1,772	1,253	684	383	242	27	2	2
	ダム湖沼	272	19	14	123	287	287	170	97	67	11	1	0
	地下水	3,126	8	3	23	52	62	55	33	31	4	1	0
	その他	1,463	135	117	783	1,027	593	270	120	75	5	0	1
遊離炭酸	全体	2,272	～2.0	～4.0	～6.0	～8.0	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	20.1～
	表流水	491	644	713	381	171	101	74	50	43	25	14	56
	ダム湖沼	146	185	201	74	19	4	7	0	1	0	0	0
	地下水	1,111	35	69	32	5	1	2	2	0	0	0	0
	その他	524	248	248	179	122	86	55	44	39	22	13	55
1,1,1-トリクロロエタン	全体	2,088	～0.030	～0.060	～0.090	～0.120	～0.150	～0.180	～0.210	～0.240	～0.270	～0.300	0.301～
	表流水	446	2,086	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	125	446	0	0	0	0	0	0	0	0	0	0
	地下水	1,021	125	0	0	0	0	0	0	0	0	0	0
	その他	496	1,020	1	0	0	0	0	0	0	0	0	0
メチル-tert-ブチルエーテル(MTBE)	全体	1,946	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	421	1,945	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	111	421	0	0	0	0	0	0	0	0	0	0
	地下水	972	111	0	0	0	0	0	0	0	0	0	0
	その他	442	971	0	0	1	0	0	0	0	0	0	0
有機物等(過マンガン酸カリウム消費量)	全体	1,594	～0.3	～0.6	～0.9	～1.2	～1.5	～1.8	～2.1	～2.4	～2.7	～3.0	3.1～
	表流水	349	294	297	300	255	192	109	59	32	19	15	22
	ダム湖沼	112	22	45	56	70	49	37	30	13	11	6	10
	地下水	764	4	9	22	21	19	13	7	7	2	3	5
	その他	369	205	173	148	97	74	34	13	8	3	3	6
臭気強度(TON)	全体	2,063	0	1	2	3	4	5	6	～8	～10	～15	16～
	表流水	446	1,675	295	64	19	8	1	0	0	0	0	1
	ダム湖沼	135	319	86	29	7	5	0	0	0	0	0	0
	地下水	1,003	96	21	10	7	1	0	0	0	0	0	0
	その他	479	868	113	16	4	0	1	0	0	0	0	1

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
腐食性(ランゲリア指数)	全体	2,299	～-4.0	～-3.5	～-3.0	～-2.5	～-2.0	～-1.5	～-1.0	～-0.5	～0.0	～0.5	0.6～
	表流水	484	15	6	31	116	319	616	638	356	150	20	32
	ダム湖沼	152	2	1	18	43	89	153	127	37	7	0	7
	地下水	1,137	0	4	2	18	26	53	28	15	5	0	1
	その他	526	12	1	7	27	116	290	314	222	114	14	20
従属栄養細菌	全体	2,545	0	～200	～400	～600	～800	～1000	～1200	～1400	～1600	～2000	2001～
	表流水	563	1,001	1,507	20	9	2	2	0	2	1	0	1
	ダム湖沼	170	306	255	2	0	0	0	0	0	0	0	0
	地下水	1,240	115	55	0	0	0	0	0	0	0	0	0
	その他	572	311	903	11	9	2	1	0	2	0	0	1
1,1-ジクロロエチレン	全体	2,114	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	447	2,090	0	0	0	24	0	0	0	0	0	0
	ダム湖沼	120	445	0	0	0	2	0	0	0	0	0	0
	地下水	1,050	119	0	0	0	1	0	0	0	0	0	0
	その他	497	1,032	0	0	0	18	0	0	0	0	0	0
1, 3-ジクロロプロペン (D-D)	全体	621	494	0	0	0	3	0	0	0	0	0	0
	表流水	132	～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	ダム湖沼	27	613	0	0	8	0	0	0	0	0	0	0
	地下水	333	132	0	0	0	0	0	0	0	0	0	0
	その他	129	27	0	0	0	0	0	0	0	0	0	0
2, 2-DPA(ダラボン)	全体	431	325	0	0	8	0	0	0	0	0	0	0
	表流水	110	129	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	16	～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	地下水	222	430	1	0	0	0	0	0	0	0	0	0
	その他	83	109	1	0	0	0	0	0	0	0	0	0
2, 4-D(2, 4-PA)	全体	596	16	0	0	0	0	0	0	0	0	0	0
	表流水	132	222	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	83	0	0	0	0	0	0	0	0	0	0
	地下水	320	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	その他	113	132	0	0	0	0	0	0	0	0	0	0
EPN	全体	632	31	0	0	0	0	0	0	0	0	0	0
	表流水	134	320	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	113	0	0	0	0	0	0	0	0	0	0
	地下水	345	～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	その他	124	134	0	0	0	0	0	0	0	0	0	0
MCPA	全体	380	29	0	0	0	0	0	0	0	0	0	0
	表流水	91	345	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	17	124	0	0	0	0	0	0	0	0	0	0
	地下水	206	～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.00400	～0.0045	～0.0050	0.0051～
	その他	66	380	0	0	0	0	0	0	0	0	0	0
アシュラム	全体	550	91	0	0	0	0	0	0	0	0	0	0
	表流水	130	17	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	206	0	0	0	0	0	0	0	0	0	0
	地下水	280	66	0	0	0	0	0	0	0	0	0	0
	その他	107	～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
アセフェート	全体	606	130	0	0	0	0	0	0	0	0	0	0
	表流水	122	33	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	23	280	0	0	0	0	0	0	0	0	0	0
	地下水	342	107	0	0	0	0	0	0	0	0	0	0
	その他	119	～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
アトラジン	全体	588	606	0	0	0	0	0	0	0	0	0	0
	表流水	128	122	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	23	0	0	0	0	0	0	0	0	0	0
	地下水	328	342	0	0	0	0	0	0	0	0	0	0
	その他	103	119	0	0	0	0	0	0	0	0	0	0
アニロホス	全体	508	～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	表流水	119	588	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	128	0	0	0	0	0	0	0	0	0	0
	地下水	260	29	0	0	0	0	0	0	0	0	0	0
	その他	100	119	0	0	0	0	0	0	0	0	0	0
アミトラズ	全体	345	～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	表流水	78	507	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	12	119	0	0	0	0	0	0	0	0	0	0
	地下水	197	29	0	0	0	0	0	0	0	0	0	0
	その他	58	260	1	0	0	0	0	0	0	0	0	0
アラクロール	全体	596	100	0	0	0	0	0	0	0	0	0	0
	表流水	130	～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	ダム湖沼	30	345	0	0	0	0	0	0	0	0	0	0
	地下水	334	78	0	0	0	0	0	0	0	0	0	0
	その他	102	12	0	0	0	0	0	0	0	0	0	0
イソキサチオン	全体	557	197	0	0	0	0	0	0	0	0	0	0
	表流水	127	58	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	24	～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.0100	0.0101～
	地下水	285	594	0	2	0	0	0	0	0	0	0	0
	その他	121	130	0	0	0	0	0	0	0	0	0	0
イソプロカルブ (MIPC)	全体	577	332	0	2	0	0	0	0	0	0	0	0
	表流水	126	102	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	地下水	316	555	0	0	0	0	0	0	0	0	0	0
	その他	106	126	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
イソプロチオラン (IPT)	全体	648	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	139	641	0	0	0	0	7	0	0	0	0	0
	ダム湖沼	30	138	0	0	0	0	1	0	0	0	0	0
	地下水	347	29	0	0	0	0	1	0	0	0	0	0
	その他	132	342	0	0	0	0	5	0	0	0	0	0
イブロベンホス (IBP)	全体	633	～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	表流水	130	631	0	0	0	0	0	2	0	0	0	0
	ダム湖沼	30	130	0	0	0	0	0	0	0	0	0	0
	地下水	343	30	0	0	0	0	0	0	0	0	0	0
	その他	130	341	0	0	0	0	0	2	0	0	0	0
イミノクタジン	全体	395	～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	表流水	87	389	0	0	0	0	0	0	0	2	4	0
	ダム湖沼	19	86	0	0	0	0	0	0	0	0	1	0
	地下水	217	19	0	0	0	0	0	0	0	0	0	0
	その他	72	212	0	0	0	0	0	0	0	2	3	0
インダノファン	全体	408	～0.0009	～0.0018	～0.0027	～0.0036	～0.0045	～0.0054	～0.0063	～0.0072	～0.0081	～0.0090	0.0091～
	表流水	94	408	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	94	0	0	0	0	0	0	0	0	0	0
	地下水	220	13	0	0	0	0	0	0	0	0	0	0
	その他	81	220	0	0	0	0	0	0	0	0	0	0
エスプロカルブ	全体	581	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	135	581	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	135	0	0	0	0	0	0	0	0	0	0
	地下水	304	30	0	0	0	0	0	0	0	0	0	0
	その他	112	304	0	0	0	0	0	0	0	0	0	0
エディフェンホス (エジフェンホス, EDDP)	全体	529	～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	表流水	129	529	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	129	0	0	0	0	0	0	0	0	0	0
	地下水	270	28	0	0	0	0	0	0	0	0	0	0
	その他	102	270	0	0	0	0	0	0	0	0	0	0
エトフェンブロックス	全体	686	～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	表流水	137	686	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	137	0	0	0	0	0	0	0	0	0	0
	地下水	388	35	0	0	0	0	0	0	0	0	0	0
	その他	126	388	0	0	0	0	0	0	0	0	0	0
エトリジアゾール (エクロメゾール)	全体	539	～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	表流水	122	539	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	122	0	0	0	0	0	0	0	0	0	0
	地下水	273	22	0	0	0	0	0	0	0	0	0	0
	その他	122	273	0	0	0	0	0	0	0	0	0	0
エンドスルファン (ヘンゾエピン)	全体	510	～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	表流水	122	510	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	23	122	0	0	0	0	0	0	0	0	0	0
	地下水	262	23	0	0	0	0	0	0	0	0	0	0
	その他	103	262	0	0	0	0	0	0	0	0	0	0
オキサジクロメホン	全体	396	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	92	396	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	92	0	0	0	0	0	0	0	0	0	0
	地下水	210	14	0	0	0	0	0	0	0	0	0	0
	その他	80	210	0	0	0	0	0	0	0	0	0	0
オキシ銅(有機銅)	全体	545	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	119	545	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	23	119	0	0	0	0	0	0	0	0	0	0
	地下水	302	23	0	0	0	0	0	0	0	0	0	0
	その他	101	302	0	0	0	0	0	0	0	0	0	0
オリサストロビン	全体	351	～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	表流水	90	351	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	90	0	0	0	0	0	0	0	0	0	0
	地下水	182	13	0	0	0	0	0	0	0	0	0	0
	その他	66	182	0	0	0	0	0	0	0	0	0	0
カズサホス	全体	345	～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	表流水	87	345	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	87	0	0	0	0	0	0	0	0	0	0
	地下水	175	13	0	0	0	0	0	0	0	0	0	0
	その他	70	175	0	0	0	0	0	0	0	0	0	0
カフェンストロール	全体	646	～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	表流水	140	646	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	140	0	0	0	0	0	0	0	0	0	0
	地下水	355	34	0	0	0	0	0	0	0	0	0	0
	その他	117	355	0	0	0	0	0	0	0	0	0	0
カルタップ	全体	188	～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	表流水	40	188	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	6	40	0	0	0	0	0	0	0	0	0	0
	地下水	122	6	0	0	0	0	0	0	0	0	0	0
	その他	20	122	0	0	0	0	0	0	0	0	0	0
カルバリル (NAC)	全体	537	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	117	537	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	117	0	0	0	0	0	0	0	0	0	0
	地下水	300	30	0	0	0	0	0	0	0	0	0	0
	その他	90	300	0	0	0	0	0	0	0	0	0	0
カルプロバミド	全体	487	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	125	487	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	125	0	0	0	0	0	0	0	0	0	0
	地下水	244	32	0	0	0	0	0	0	0	0	0	0
	その他	86	244	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
カルボフラン	全体	536	～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	表流水	122	536	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	122	0	0	0	0	0	0	0	0	0	0
	地下水	275	32	0	0	0	0	0	0	0	0	0	0
	その他	107	275	0	0	0	0	0	0	0	0	0	0
キノクラミン (ACN)	全体	359	～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	表流水	89	359	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	89	0	0	0	0	0	0	0	0	0	0
	地下水	190	14	0	0	0	0	0	0	0	0	0	0
	その他	66	190	0	0	0	0	0	0	0	0	0	0
キャプタン	全体	593	～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	表流水	125	593	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	125	0	0	0	0	0	0	0	0	0	0
	地下水	311	30	0	0	0	0	0	0	0	0	0	0
	その他	127	311	0	0	0	0	0	0	0	0	0	0
クミルロン	全体	393	～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	表流水	92	393	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	92	0	0	0	0	0	0	0	0	0	0
	地下水	210	13	0	0	0	0	0	0	0	0	0	0
	その他	78	210	0	0	0	0	0	0	0	0	0	0
グリホサート	全体	474	～0.02	～0.04	～0.06	～0.10	～0.14	～0.20	～0.60	～1.00	～1.40	～2.00	2.01～
	表流水	100	474	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	20	100	0	0	0	0	0	0	0	0	0	0
	地下水	256	20	0	0	0	0	0	0	0	0	0	0
	その他	98	256	0	0	0	0	0	0	0	0	0	0
グルホシネート	全体	163	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	37	162	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	6	37	0	0	0	0	0	0	0	0	0	0
	地下水	106	6	0	0	0	0	0	0	0	0	0	0
	その他	14	106	0	0	0	1	0	0	0	0	0	0
クロメブロップ	全体	404	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	89	404	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	89	0	0	0	0	0	0	0	0	0	0
	地下水	223	13	0	0	0	0	0	0	0	0	0	0
	その他	79	223	0	0	0	0	0	0	0	0	0	0
クロル ニトロフェン (CNP)	全体	514	～0.000001	～0.000002	～0.000003	～0.000005	～0.000007	～0.000010	～0.000030	～0.000050	～0.000070	～0.000100	0.000101～
	表流水	119	512	0	0	0	0	0	0	0	0	2	0
	ダム湖沼	29	119	0	0	0	0	0	0	0	0	0	0
	地下水	259	29	0	0	0	0	0	0	0	0	0	0
	その他	107	259	0	0	0	0	0	0	0	0	2	0
クロルピリホス	全体	640	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	139	640	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	25	139	0	0	0	0	0	0	0	0	0	0
	地下水	352	25	0	0	0	0	0	0	0	0	0	0
	その他	124	352	0	0	0	0	0	0	0	0	0	0
クロタロニル (TPN)	全体	692	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	141	692	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	25	141	0	0	0	0	0	0	0	0	0	0
	地下水	379	25	0	0	0	0	0	0	0	0	0	0
	その他	147	379	0	0	0	0	0	0	0	0	0	0
シアナジン	全体	418	～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	表流水	101	418	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	101	0	0	0	0	0	0	0	0	0	0
	地下水	221	14	0	0	0	0	0	0	0	0	0	0
	その他	82	221	0	0	0	0	0	0	0	0	0	0
シアノホス (CYAP)	全体	389	～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	表流水	89	389	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	89	0	0	0	0	0	0	0	0	0	0
	地下水	210	13	0	0	0	0	0	0	0	0	0	0
	その他	77	210	0	0	0	0	0	0	0	0	0	0
ジウロン (DCMU)	全体	542	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	117	542	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	117	0	0	0	0	0	0	0	0	0	0
	地下水	293	30	0	0	0	0	0	0	0	0	0	0
	その他	102	293	0	0	0	0	0	0	0	0	0	0
ジクロベニル (DBN)	全体	602	～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	表流水	133	602	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	23	133	0	0	0	0	0	0	0	0	0	0
	地下水	334	23	0	0	0	0	0	0	0	0	0	0
	その他	112	334	0	0	0	0	0	0	0	0	0	0
ジクロロボス (DDVP)	全体	575	～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	表流水	129	575	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	129	0	0	0	0	0	0	0	0	0	0
	地下水	298	22	0	0	0	0	0	0	0	0	0	0
	その他	126	298	0	0	0	0	0	0	0	0	0	0
ジクワット	全体	451	～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	表流水	93	443	0	0	0	0	0	8	0	0	0	0
	ダム湖沼	20	93	0	0	0	0	0	0	0	0	0	0
	地下水	242	20	0	0	0	0	0	0	0	0	0	0
	その他	96	242	0	0	0	0	0	8	0	0	0	0
ジスルホトン (エチルチオメトン)	全体	580	～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	表流水	121	579	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	17	120	0	1	0	0	0	0	0	0	0	0
	地下水	341	17	0	0	0	0	0	0	0	0	0	0
	その他	101	341	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
ジチアン	全体	191	～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	表流水	43	190	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	4	43	0	0	0	0	0	0	0	0	0	0
	地下水	119	4	0	0	0	0	0	0	0	0	0	0
	その他	25	119	0	0	1	0	0	0	0	0	0	0
ジチオカルバメート系農薬	全体	150	～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	表流水	36	149	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	6	36	0	0	0	0	0	0	0	0	0	0
	地下水	99	6	0	0	0	0	0	0	0	0	0	0
	その他	9	98	0	0	1	0	0	0	0	0	0	0
ジチオビル	全体	532	～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	表流水	123	530	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	23	123	0	0	0	0	0	0	0	0	0	0
	地下水	274	23	0	0	0	0	0	0	0	0	0	0
	その他	112	272	2	0	0	0	0	0	0	0	0	0
シハロホップブチル	全体	378	～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	表流水	93	378	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	15	93	0	0	0	0	0	0	0	0	0	0
	地下水	202	15	0	0	0	0	0	0	0	0	0	0
	その他	68	202	0	0	0	0	0	0	0	0	0	0
シマジン (CAT)	全体	660	～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	表流水	140	660	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	140	0	0	0	0	0	0	0	0	0	0
	地下水	354	30	0	0	0	0	0	0	0	0	0	0
	その他	136	354	0	0	0	0	0	0	0	0	0	0
ジメタメトリン	全体	586	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	131	586	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	131	0	0	0	0	0	0	0	0	0	0
	地下水	304	32	0	0	0	0	0	0	0	0	0	0
	その他	119	304	0	0	0	0	0	0	0	0	0	0
ジメトエート	全体	594	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	124	594	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	124	0	0	0	0	0	0	0	0	0	0
	地下水	334	29	0	0	0	0	0	0	0	0	0	0
	その他	107	334	0	0	0	0	0	0	0	0	0	0
シメトリン	全体	634	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	137	634	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	137	0	0	0	0	0	0	0	0	0	0
	地下水	353	31	0	0	0	0	0	0	0	0	0	0
	その他	113	353	0	0	0	0	0	0	0	0	0	0
ジメピベレート	全体	519	～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	表流水	124	519	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	124	0	0	0	0	0	0	0	0	0	0
	地下水	266	29	0	0	0	0	0	0	0	0	0	0
	その他	100	266	0	0	0	0	0	0	0	0	0	0
ダイアジノン	全体	731	～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	表流水	147	730	0	0	0	0	1	0	0	0	0	0
	ダム湖沼	31	147	0	0	0	0	0	0	0	0	0	0
	地下水	399	31	0	0	0	0	0	0	0	0	0	0
	その他	154	398	0	0	0	0	1	0	0	0	0	0
ダイムロン	全体	544	～0.008	～0.016	～0.024	～0.040	～0.056	～0.080	～0.240	～0.400	～0.560	～0.800	0.801～
	表流水	131	544	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	39	131	0	0	0	0	0	0	0	0	0	0
	地下水	280	39	0	0	0	0	0	0	0	0	0	0
	その他	94	280	0	0	0	0	0	0	0	0	0	0
ダゾメット	全体	153	～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	表流水	35	152	0	0	0	0	0	0	0	1	0	0
	ダム湖沼	6	35	0	0	0	0	0	0	0	0	0	0
	地下水	102	6	0	0	0	0	0	0	0	0	0	0
	その他	10	101	0	0	0	0	0	0	0	1	0	0
チアジニル	全体	379	～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	表流水	85	379	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	12	85	0	0	0	0	0	0	0	0	0	0
	地下水	205	12	0	0	0	0	0	0	0	0	0	0
	その他	77	205	0	0	0	0	0	0	0	0	0	0
チウラム	全体	651	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	141	651	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	141	0	0	0	0	0	0	0	0	0	0
	地下水	346	35	0	0	0	0	0	0	0	0	0	0
	その他	129	346	0	0	0	0	0	0	0	0	0	0
チオジカルブ	全体	520	～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	表流水	115	520	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	115	0	0	0	0	0	0	0	0	0	0
	地下水	287	30	0	0	0	0	0	0	0	0	0	0
	その他	88	287	0	0	0	0	0	0	0	0	0	0
チオファネートメチル	全体	567	～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	表流水	120	567	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	23	120	0	0	0	0	0	0	0	0	0	0
	地下水	322	23	0	0	0	0	0	0	0	0	0	0
	その他	102	322	0	0	0	0	0	0	0	0	0	0
チオベンカルブ	全体	629	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	135	629	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	135	0	0	0	0	0	0	0	0	0	0
	地下水	339	30	0	0	0	0	0	0	0	0	0	0
	その他	125	339	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
テルブカルブ (MBPMC)	全体	515	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	119	514	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	119	0	0	0	0	0	0	0	0	0	0
	地下水	267	29	0	0	0	0	0	0	0	0	0	0
	その他	100	266	1	0	0	0	0	0	0	0	0	0
トリクロビル	全体	584	～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	表流水	131	584	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	131	0	0	0	0	0	0	0	0	0	0
	地下水	309	31	0	0	0	0	0	0	0	0	0	0
	その他	113	309	0	0	0	0	0	0	0	0	0	0
トリクロロホン (DEP)	全体	566	～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	表流水	123	566	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	123	0	0	0	0	0	0	0	0	0	0
	地下水	297	22	0	0	0	0	0	0	0	0	0	0
	その他	124	297	2	0	0	0	0	0	0	0	0	0
トリシクラゾール	全体	544	～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	表流水	130	544	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	130	0	0	0	0	0	0	0	0	0	0
	地下水	286	34	0	0	0	0	0	0	0	0	0	0
	その他	94	286	0	0	0	0	0	0	0	0	0	0
トリフルラリン	全体	632	～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	表流水	131	632	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	131	0	0	0	0	0	0	0	0	0	0
	地下水	353	30	0	0	0	0	0	0	0	0	0	0
	その他	118	353	0	0	0	0	0	0	0	0	0	0
ナプロバミド	全体	530	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	119	530	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	119	0	0	0	0	0	0	0	0	0	0
	地下水	273	29	0	0	0	0	0	0	0	0	0	0
	その他	109	273	0	0	0	0	0	0	0	0	0	0
バラコート	全体	209	～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	表流水	43	209	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	6	43	0	0	0	0	0	0	0	0	0	0
	地下水	129	6	0	0	0	0	0	0	0	0	0	0
	その他	31	129	1	0	0	0	0	0	0	0	0	0
ビペロホス	全体	507	～0.000009	～0.000018	～0.000027	～0.000045	～0.000063	～0.000090	～0.000270	～0.000450	～0.000630	～0.000900	0.000901～
	表流水	119	507	0	0	0	5	0	0	0	0	0	0
	ダム湖沼	29	119	0	0	0	1	0	0	0	0	0	0
	地下水	262	29	0	0	0	0	0	0	0	0	0	0
	その他	97	262	0	0	0	4	0	0	0	0	0	0
ビラクロニル	全体	149	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	38	149	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	7	38	0	0	0	0	0	0	0	0	0	0
	地下水	93	7	0	0	0	0	0	0	0	0	0	0
	その他	11	93	0	0	0	0	0	0	0	0	0	0
ビラゾキシフェン	全体	344	～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	表流水	87	344	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	87	0	0	0	0	0	0	0	0	0	0
	地下水	181	13	0	0	0	0	0	0	0	0	0	0
	その他	63	181	0	0	0	0	0	0	0	0	0	0
ビラゾリネート(ビラゾレート)	全体	383	～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	表流水	85	383	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	11	85	0	0	0	0	0	0	0	0	0	0
	地下水	213	11	0	0	0	0	0	0	0	0	0	0
	その他	74	213	0	0	0	0	0	0	0	0	0	0
ビリダフェンチオン	全体	553	～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	表流水	130	553	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	29	130	0	0	0	0	0	0	0	0	0	0
	地下水	279	29	0	0	0	0	0	0	0	0	0	0
	その他	115	278	0	1	0	0	0	0	0	0	0	0
ビリブチカルブ	全体	601	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	131	601	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	131	0	0	0	0	0	0	0	0	0	0
	地下水	328	30	0	0	0	0	0	0	0	0	0	0
	その他	112	328	0	0	0	0	0	0	0	0	0	0
ビロクロン	全体	589	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	138	589	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	138	0	0	0	0	0	0	0	0	0	0
	地下水	310	33	0	0	0	0	0	0	0	0	0	0
	その他	108	310	0	0	0	0	0	0	0	0	0	0
フィブロニル	全体	610	～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	表流水	126	610	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	126	0	0	0	0	0	0	0	0	0	0
	地下水	335	31	0	0	0	0	0	0	0	0	0	0
	その他	118	335	0	0	0	0	0	0	0	0	0	0
フェントロチオン (MEP)	全体	718	～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	表流水	153	717	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	153	1	0	0	0	0	0	0	0	0	0
	地下水	392	26	0	0	0	0	0	0	0	0	0	0
	その他	147	392	0	0	0	0	0	0	0	0	0	0
フェノブカルブ (BPMC)	全体	665	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	141	665	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	141	0	0	0	0	0	0	0	0	0	0
	地下水	359	31	0	0	0	0	0	0	0	0	0	0
	その他	134	359	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
フェリムゾン	全体	204	～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	表流水	44	204	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	6	44	0	0	0	0	0	0	0	0	0	0
	地下水	129	6	0	0	0	0	0	0	0	0	0	0
	その他	25	129	0	0	0	0	0	0	0	0	0	0
フェンチオン（MPP）	全体	612	～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	表流水	128	604	0	0	0	7	0	0	0	0	1	0
	ダム湖沼	31	128	0	0	0	0	0	0	0	0	0	0
	地下水	347	31	0	0	0	0	0	0	0	0	0	0
	その他	106	339	0	0	0	7	0	0	0	0	1	0
フェントエート（PAP）	全体	605	～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	表流水	124	603	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	124	0	0	0	0	0	0	0	0	0	0
	地下水	341	29	0	0	0	0	0	0	0	0	0	0
	その他	111	339	2	0	0	0	0	0	0	0	0	0
フェントラザミド	全体	378	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	87	378	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	87	0	0	0	0	0	0	0	0	0	0
	地下水	199	14	0	0	0	0	0	0	0	0	0	0
	その他	78	199	0	0	0	0	0	0	0	0	0	0
フサライド	全体	637	～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	表流水	135	637	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	135	0	0	0	0	0	0	0	0	0	0
	地下水	360	32	0	0	0	0	0	0	0	0	0	0
	その他	110	360	0	0	0	0	0	0	0	0	0	0
ブタクロール	全体	360	～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	表流水	91	360	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	91	0	0	0	0	0	0	0	0	0	0
	地下水	190	14	0	0	0	0	0	0	0	0	0	0
	その他	65	190	0	0	0	0	0	0	0	0	0	0
ブタミホス	全体	598	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	127	598	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	127	0	0	0	0	0	0	0	0	0	0
	地下水	331	29	0	0	0	0	0	0	0	0	0	0
	その他	111	331	0	0	0	0	0	0	0	0	0	0
ブプロフェジン	全体	610	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	136	610	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	136	0	0	0	0	0	0	0	0	0	0
	地下水	336	31	0	0	0	0	0	0	0	0	0	0
	その他	107	336	0	0	0	0	0	0	0	0	0	0
フルアジナム	全体	390	～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	表流水	85	390	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	12	85	0	0	0	0	0	0	0	0	0	0
	地下水	218	12	0	0	0	0	0	0	0	0	0	0
	その他	75	218	0	0	0	0	0	0	0	0	0	0
ブレチラクロール	全体	655	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	143	654	0	0	0	0	1	0	0	0	0	0
	ダム湖沼	34	143	0	0	0	0	0	0	0	0	0	0
	地下水	350	34	0	0	0	0	0	0	0	0	0	0
	その他	128	349	0	0	0	0	1	0	0	0	0	0
プロシモン	全体	548	～0.0009	～0.0018	～0.0027	～0.0045	～0.0063	～0.0090	～0.0270	～0.0450	～0.0630	～0.0900	0.0901～
	表流水	122	548	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	122	0	0	0	0	0	0	0	0	0	0
	地下水	291	29	0	0	0	0	0	0	0	0	0	0
	その他	106	291	0	0	0	0	0	0	0	0	0	0
プロチオホス	全体	153	～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	表流水	36	153	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	6	36	0	0	0	0	0	0	0	0	0	0
	地下水	102	6	0	0	0	0	0	0	0	0	0	0
	その他	9	102	0	0	0	0	0	0	0	0	0	0
プロピコナゾール	全体	555	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	121	555	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	121	0	0	0	0	0	0	0	0	0	0
	地下水	304	29	0	0	0	0	0	0	0	0	0	0
	その他	101	304	0	0	0	0	0	0	0	0	0	0
プロピザミド	全体	631	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	131	631	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	131	0	0	0	0	0	0	0	0	0	0
	地下水	341	30	0	0	0	0	0	0	0	0	0	0
	その他	129	341	0	0	0	0	0	0	0	0	0	0
プロベナゾール	全体	574	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	129	574	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	129	0	0	0	0	0	0	0	0	0	0
	地下水	311	32	0	0	0	0	0	0	0	0	0	0
	その他	102	311	0	0	0	0	0	0	0	0	0	0
プロモブチド	全体	605	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	136	595	0	8	2	0	0	0	0	0	0	0
	ダム湖沼	33	133	0	2	1	0	0	0	0	0	0	0
	地下水	320	33	0	0	0	0	0	0	0	0	0	0
	その他	116	313	0	6	1	0	0	0	0	0	0	0
ベノミル	全体	560	～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	表流水	120	560	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	25	120	0	0	0	0	0	0	0	0	0	0
	地下水	316	25	0	0	0	0	0	0	0	0	0	0
	その他	99	316	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
ベンシクロン	全体	595	～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	表流水	128	595	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	128	0	0	0	0	0	0	0	0	0	0
	地下水	307	33	0	0	0	0	0	0	0	0	0	0
	その他	127	307	0	0	0	0	0	0	0	0	0	0
ベンゾピシクロン	全体	384	～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	表流水	92	384	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	15	92	0	0	0	0	0	0	0	0	0	0
	地下水	208	15	0	0	0	0	0	0	0	0	0	0
	その他	69	208	0	0	0	0	0	0	0	0	0	0
ベンゾフェナップ	全体	383	～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	表流水	84	383	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	84	0	0	0	0	0	0	0	0	0	0
	地下水	211	14	0	0	0	0	0	0	0	0	0	0
	その他	74	211	0	0	0	0	0	0	0	0	0	0
ベントゾン	全体	607	～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	表流水	137	607	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	37	137	0	0	0	0	0	0	0	0	0	0
	地下水	313	37	0	0	0	0	0	0	0	0	0	0
	その他	120	313	0	0	0	0	0	0	0	0	0	0
ベンディメタリン	全体	662	～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	表流水	143	660	0	2	0	0	0	0	0	0	0	0
	ダム湖沼	33	143	0	0	0	0	0	0	0	0	0	0
	地下水	367	33	0	0	0	0	0	0	0	0	0	0
	その他	119	367	0	2	0	0	0	0	0	0	0	0
ベンフラカルブ	全体	512	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	119	512	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	24	119	0	0	0	0	0	0	0	0	0	0
	地下水	272	24	0	0	0	0	0	0	0	0	0	0
	その他	97	272	0	0	0	0	0	0	0	0	0	0
ベンフルラリン（ベスロジン）	全体	558	～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	表流水	125	558	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	125	0	0	0	0	0	0	0	0	0	0
	地下水	290	30	0	0	0	0	0	0	0	0	0	0
	その他	113	290	0	0	0	0	0	0	0	0	0	0
ベンフレセート	全体	354	～0.007	～0.014	～0.021	～0.028	～0.035	～0.042	～0.049	～0.056	～0.063	～0.070	0.071～
	表流水	87	354	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	87	0	0	0	0	0	0	0	0	0	0
	地下水	189	13	0	0	0	0	0	0	0	0	0	0
	その他	65	189	0	0	0	0	0	0	0	0	0	0
ホスチアゼート	全体	369	～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	表流水	88	369	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	14	88	0	0	0	0	0	0	0	0	0	0
	地下水	199	14	0	0	0	0	0	0	0	0	0	0
	その他	68	199	0	0	0	0	0	0	0	0	0	0
マラチオン（マラソン）	全体	627	～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	表流水	134	627	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	134	0	0	0	0	0	0	0	0	0	0
	地下水	345	30	0	0	0	0	0	0	0	0	0	0
	その他	118	345	0	0	0	0	0	0	0	0	0	0
メコプロップ（MCP）	全体	600	～0.00050	～0.00100	～0.00150	～0.00250	～0.00350	～0.00500	～0.01500	～0.02500	～0.03500	～0.05000	0.05001～
	表流水	133	600	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	133	0	0	0	0	0	0	0	0	0	0
	地下水	317	33	0	0	0	0	0	0	0	0	0	0
	その他	117	317	0	0	0	0	0	0	0	0	0	0
メソミル	全体	586	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	123	586	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	123	0	0	0	0	0	0	0	0	0	0
	地下水	324	31	0	0	0	0	0	0	0	0	0	0
	その他	108	324	0	0	0	0	0	0	0	0	0	0
メタム（カーバム）	全体	133	～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	表流水	31	131	0	0	0	2	0	0	0	0	0	0
	ダム湖沼	6	31	0	0	0	0	0	0	0	0	0	0
	地下水	89	6	0	0	0	0	0	0	0	0	0	0
	その他	7	89	0	0	0	2	0	0	0	0	0	0
メタラキシル	全体	614	～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	表流水	133	614	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	133	0	0	0	0	0	0	0	0	0	0
	地下水	325	31	0	0	0	0	0	0	0	0	0	0
	その他	125	325	0	0	0	0	0	0	0	0	0	0
メチダチオン（DMTP）	全体	640	～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	表流水	134	640	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	134	0	0	0	0	0	0	0	0	0	0
	地下水	353	29	0	0	0	0	0	0	0	0	0	0
	その他	124	353	0	0	0	0	0	0	0	0	0	0
メチルダイムロン	全体	523	～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	表流水	119	523	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	119	0	0	0	0	0	0	0	0	0	0
	地下水	268	29	0	0	0	0	0	0	0	0	0	0
	その他	107	268	0	0	0	0	0	0	0	0	0	0
メトミノストロピン	全体	411	～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	表流水	91	411	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	91	0	0	0	0	0	0	0	0	0	0
	地下水	228	13	0	0	0	0	0	0	0	0	0	0
	その他	79	228	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水 質 項 目		計	区 分										
メトリブジン	全体	400	～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	表流水	91	400	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	13	91	0	0	0	0	0	0	0	0	0	0
	地下水	218	13	0	0	0	0	0	0	0	0	0	0
	その他	78	218	0	0	0	0	0	0	0	0	0	0
メフェナセット	全体	646	～0.00009	～0.00018	～0.00027	～0.00045	～0.00063	～0.00090	～0.00270	～0.00450	～0.00630	～0.00900	0.00901～
	表流水	140	634	0	12	0	0	0	0	0	0	0	0
	ダム湖沼	33	139	0	1	0	0	0	0	0	0	0	0
	地下水	358	33	0	0	0	0	0	0	0	0	0	0
	その他	115	347	0	11	0	0	0	0	0	0	0	0
メプロニル	全体	615	～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	表流水	131	615	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	131	0	0	0	0	0	0	0	0	0	0
	地下水	340	29	0	0	0	0	0	0	0	0	0	0
	その他	115	340	0	0	0	0	0	0	0	0	0	0
モリネート	全体	642	～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	表流水	134	642	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	134	0	0	0	0	0	0	0	0	0	0
	地下水	356	31	0	0	0	0	0	0	0	0	0	0
	その他	121	356	0	0	0	0	0	0	0	0	0	0
水温(℃)	全体	4,636	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	～22.0	～24.0	～26.0	～28.0	28.1～
	表流水	888	120	271	556	864	1,566	1,059	138	33	23	4	2
	ダム湖沼	230	29	78	148	184	311	117	15	3	2	0	1
	地下水	2,361	8	18	14	36	87	57	5	1	3	0	1
	その他	1,157	41	85	211	437	834	642	95	12	4	0	0
紫外線(UV)吸光度(50mmセル使用時)	全体	149	～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	表流水	48	105	40	3	1	0	0	0	0	0	0	0
	ダム湖沼	20	28	20	0	0	0	0	0	0	0	0	0
	地下水	62	6	12	1	1	0	0	0	0	0	0	0
	その他	19	58	3	1	0	0	0	0	0	0	0	0
侵食性遊離炭酸	全体	238	～2.5	～5.0	～7.5	～10.0	～12.5	～15.0	～17.5	～20.0	～22.5	～25.0	25.1～
	表流水	55	99	58	33	14	10	12	0	5	1	1	5
	ダム湖沼	16	33	15	7	0	0	0	0	0	0	0	0
	地下水	127	11	5	0	0	0	0	0	0	0	0	0
	その他	40	36	29	22	11	9	8	0	5	1	1	5
生物(n/ml)	全体	7	～10.0	～50.0	～100.0	～500.0	～1000.0	～5000.0	～10000.0	～50000.0	～100000.0	～500000.0	500000.1～
	表流水	6	7	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	1	6	0	0	0	0	0	0	0	0	0	0
	地下水	0	1	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
アルカリ度	全体	885	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	～100.0	100.1～
	表流水	279	19	118	201	186	145	97	48	26	24	5	16
	ダム湖沼	61	14	70	91	56	34	11	0	1	2	0	0
	地下水	371	4	7	27	10	4	4	1	2	1	0	1
	その他	174	1	8	31	75	86	69	43	22	18	5	13
硫酸イオン	全体	550	～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	表流水	155	87	169	152	70	48	10	4	1	3	0	6
	ダム湖沼	28	16	44	55	19	19	0	1	0	0	0	1
	地下水	256	2	11	10	4	1	0	0	0	0	0	0
	その他	111	52	88	65	24	12	7	2	1	1	0	4
溶性ケイ酸	全体	172	～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	表流水	27	2	5	35	41	23	20	23	8	14	1	0
	ダム湖沼	6	0	0	14	8	2	1	2	0	0	0	0
	地下水	101	0	0	4	1	0	1	0	0	0	0	0
	その他	38	0	4	10	22	17	11	21	6	9	1	0