

水質項目		計	区分										
一般細菌			0	～10	～20	～30	～40	～50	～60	～70	～80	～100	101～
	全体	8,380	6,574	1,628	77	37	20	10	16	5	2	6	5
	表流水	1,758	1,334	389	13	11	4	2	3	0	0	0	2
	ダム湖沼	325	259	63	1	0	1	0	0	0	0	0	1
	地下水	4,281	3,356	827	48	14	10	4	10	3	2	6	1
	その他	2,016	1,625	349	15	12	5	4	3	2	0	0	1
大腸菌(定性)			陰性	陽性									
	全体	0	0	0									
	表流水	0	0	0									
	ダム湖沼	0	0	0									
	地下水	0	0	0									
	その他	0	0	0									
カドミウム及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	7,661	7,660	0	1	0	0	0	0	0	0	0	0
	表流水	1,591	1,591	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	302	302	0	0	0	0	0	0	0	0	0	0
	地下水	3,892	3,891	0	1	0	0	0	0	0	0	0	0
	その他	1,876	1,876	0	0	0	0	0	0	0	0	0	0
水銀及びその化合物			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	7,651	7,635	1	1	0	0	0	0	0	0	14	0
	表流水	1,591	1,588	0	0	0	0	0	0	0	0	3	0
	ダム湖沼	302	302	0	0	0	0	0	0	0	0	0	0
	地下水	3,890	3,881	1	1	0	0	0	0	0	0	7	0
	その他	1,868	1,864	0	0	0	0	0	0	0	0	4	0
セレン及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	7,660	7,653	6	1	0	0	0	0	0	0	0	0
	表流水	1,592	1,591	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	302	301	1	0	0	0	0	0	0	0	0	0
	地下水	3,891	3,888	3	0	0	0	0	0	0	0	0	0
	その他	1,875	1,873	1	1	0	0	0	0	0	0	0	0
鉛及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	7,759	7,434	179	63	36	19	14	6	4	2	2	0
	表流水	1,621	1,585	17	5	9	1	2	0	0	1	1	0
	ダム湖沼	311	302	5	2	1	0	0	0	0	1	0	0
	地下水	3,938	3,723	119	44	20	15	11	4	2	0	0	0
	その他	1,889	1,824	38	12	6	3	1	2	2	0	1	0
ヒ素及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	7,732	6,956	356	171	111	49	32	27	18	7	5	0
	表流水	1,599	1,505	40	27	12	8	2	1	3	0	1	0
	ダム湖沼	302	293	2	5	0	0	1	0	0	1	0	0
	地下水	3,944	3,415	245	110	79	35	24	18	9	5	4	0
	その他	1,887	1,743	69	29	20	6	5	8	6	1	0	0
六価クロム化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	7,667	7,662	4	0	0	0	0	0	0	0	1	0
	表流水	1,590	1,589	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	303	303	0	0	0	0	0	0	0	0	0	0
	地下水	3,890	3,888	2	0	0	0	0	0	0	0	0	0
	その他	1,884	1,882	1	0	0	0	0	0	0	0	1	0
亜硝酸態窒素			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	7,974	7,888	64	16	3	0	0	0	0	0	3	0
	表流水	1,692	1,678	13	1	0	0	0	0	0	0	0	0
	ダム湖沼	319	314	4	1	0	0	0	0	0	0	0	0
	地下水	4,050	3,995	38	14	2	0	0	0	0	0	1	0
	その他	1,913	1,901	9	0	1	0	0	0	0	0	2	0
シアン化物イオン及び塩化シアン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,365	8,350	12	1	2	0	0	0	0	0	0	0
	表流水	1,753	1,752	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	325	324	1	0	0	0	0	0	0	0	0	0
	地下水	4,276	4,268	7	0	1	0	0	0	0	0	0	0
	その他	2,011	2,006	3	1	1	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
硝酸態窒素及び亜硝酸態窒素			～0.50	～1.00	～2.00	～3.00	～4.00	～5.00	～6.00	～7.00	～8.00	～10.00	10.01～
全体		7,974	3,681	1,889	1,252	615	262	109	76	56	18	16	0
表流水		1,639	949	444	174	56	11	1	2	2	0	0	0
ダム湖沼		312	207	78	21	3	3	0	0	0	0	0	0
地下水		4,094	1,448	960	852	414	188	93	59	46	18	16	0
その他		1,929	1,077	407	205	142	60	15	15	8	0	0	0
フッ素及びその化合物			～0.08	～0.16	～0.24	～0.32	～0.40	～0.48	～0.56	～0.64	～0.72	～0.80	0.81～
全体		7,860	5,554	1,700	334	130	55	33	26	13	10	5	0
表流水		1,627	1,239	308	37	19	8	9	6	0	0	1	0
ダム湖沼		310	225	66	13	1	1	2	2	0	0	0	0
地下水		4,021	2,684	917	220	97	43	20	15	12	9	4	0
その他		1,902	1,406	409	64	13	3	2	3	1	1	0	0
ホウ素及びその化合物			～0.1	～0.2	～0.3	～0.4	～0.5	～0.6	～0.7	～0.8	～0.9	～1.0	1.1～
全体		7,681	7,513	82	39	15	13	9	5	4	1	0	0
表流水		1,596	1,572	13	5	0	3	1	0	2	0	0	0
ダム湖沼		302	299	2	0	1	0	0	0	0	0	0	0
地下水		3,908	3,807	48	24	12	6	5	4	1	1	0	0
その他		1,875	1,835	19	10	2	4	3	1	1	0	0	0
四塩化炭素			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体		7,657	7,646	6	1	0	0	0	0	0	0	4	0
表流水		1,591	1,586	4	0	0	0	0	0	0	0	1	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,890	3,886	1	1	0	0	0	0	0	0	2	0
その他		1,874	1,872	1	0	0	0	0	0	0	0	1	0
1,4－ジオキサン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
全体		7,655	7,653	1	0	0	0	1	0	0	0	0	0
表流水		1,592	1,592	0	0	0	0	0	0	0	0	0	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,890	3,888	1	0	0	0	1	0	0	0	0	0
その他		1,871	1,871	0	0	0	0	0	0	0	0	0	0
ジス－1,2－ジクロロエチレン及びトランス－1,2－ジクロロエチレン			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体		7,674	7,672	2	0	0	0	0	0	0	0	0	0
表流水		1,594	1,594	0	0	0	0	0	0	0	0	0	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,902	3,900	2	0	0	0	0	0	0	0	0	0
その他		1,876	1,876	0	0	0	0	0	0	0	0	0	0
ジクロロメタン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		7,657	7,654	2	0	0	0	0	0	0	0	1	0
表流水		1,592	1,591	1	0	0	0	0	0	0	0	0	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,890	3,888	1	0	0	0	0	0	0	0	1	0
その他		1,873	1,873	0	0	0	0	0	0	0	0	0	0
テトラクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		7,660	7,648	5	3	1	3	0	0	0	0	0	0
表流水		1,592	1,592	0	0	0	0	0	0	0	0	0	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,893	3,882	5	3	1	2	0	0	0	0	0	0
その他		1,873	1,872	0	0	0	1	0	0	0	0	0	0
トリクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		7,668	7,640	14	8	1	2	0	0	0	0	3	0
表流水		1,592	1,591	1	0	0	0	0	0	0	0	0	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,900	3,876	13	7	1	2	0	0	0	0	1	0
その他		1,874	1,871	0	1	0	0	0	0	0	0	2	0
ベンゼン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		7,657	7,656	1	0	0	0	0	0	0	0	0	0
表流水		1,591	1,591	0	0	0	0	0	0	0	0	0	0
ダム湖沼		302	302	0	0	0	0	0	0	0	0	0	0
地下水		3,890	3,889	1	0	0	0	0	0	0	0	0	0
その他		1,874	1,874	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	8,366	4,030	2,418	951	453	206	119	75	50	31	25	8
	表流水	1,755	528	590	289	163	76	45	26	13	16	5	4
	ダム湖沼	325	55	106	59	38	27	17	11	3	3	4	2
	地下水	4,274	2,354	1,134	396	181	88	44	25	26	10	14	2
	その他	2,012	1,093	588	207	71	15	13	13	8	2	2	0
クロロ酢酸			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,371	8,335	24	3	2	1	1	0	0	1	3	1
	表流水	1,756	1,744	8	2	1	0	1	0	0	0	0	0
	ダム湖沼	325	315	9	0	0	1	0	0	0	0	0	0
	地下水	4,278	4,270	3	1	0	0	0	0	0	1	2	1
	その他	2,012	2,006	4	0	1	0	0	0	0	0	1	0
クロロホルム			～0.006	～0.012	～0.018	～0.024	～0.030	～0.036	～0.042	～0.048	～0.056	～0.060	0.061～
	全体	8,371	5,428	1,107	840	459	250	137	81	32	29	6	2
	表流水	1,756	531	422	330	210	113	76	35	21	13	4	1
	ダム湖沼	325	57	84	61	39	32	20	17	6	8	1	0
	地下水	4,278	3,682	307	159	56	40	18	10	2	2	1	1
	その他	2,012	1,158	294	290	154	65	23	19	3	6	0	0
ジクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	8,371	6,165	1,135	563	258	132	56	36	9	6	8	3
	表流水	1,756	741	455	266	134	80	40	24	6	4	4	2
	ダム湖沼	325	128	77	54	34	17	4	3	2	2	4	0
	地下水	4,278	3,883	250	91	35	12	2	4	0	0	0	1
	その他	2,012	1,413	353	152	55	23	10	5	1	0	0	0
ジブromクロロメタン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	8,371	8,170	144	33	9	5	1	5	2	1	1	0
	表流水	1,756	1,706	40	6	2	0	0	0	1	0	1	0
	ダム湖沼	325	305	11	6	1	0	0	2	0	0	0	0
	地下水	4,278	4,206	45	13	6	3	1	3	0	1	0	0
	その他	2,012	1,953	48	8	0	2	0	0	1	0	0	0
臭素酸			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,370	8,115	144	65	27	7	7	1	2	1	1	0
	表流水	1,756	1,714	18	9	9	2	3	0	0	0	1	0
	ダム湖沼	325	315	7	0	2	0	0	0	1	0	0	0
	地下水	4,277	4,174	62	23	9	2	4	1	1	1	0	0
	その他	2,012	1,912	57	33	7	3	0	0	0	0	0	0
総トリハロメタン			～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	全体	8,371	4,711	1,506	1,068	594	279	125	57	17	11	2	1
	表流水	1,756	384	528	413	229	107	52	30	7	5	1	0
	ダム湖沼	325	27	86	75	52	48	17	8	8	3	1	0
	地下水	4,278	3,276	556	251	118	43	22	8	2	1	0	1
	その他	2,012	1,024	336	329	195	81	34	11	0	2	0	0
トリクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	8,370	5,664	852	644	478	272	179	131	68	36	38	8
	表流水	1,756	576	356	230	199	151	95	58	37	22	28	4
	ダム湖沼	325	100	54	48	45	21	20	12	13	4	5	3
	地下水	4,277	3,743	246	130	64	29	17	30	9	4	4	1
	その他	2,012	1,245	196	236	170	71	47	31	9	6	1	0
ブromジクロロメタン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	8,371	5,168	1,468	890	487	205	80	42	14	11	5	1
	表流水	1,756	599	503	314	192	79	31	21	9	7	1	0
	ダム湖沼	325	35	88	97	43	23	22	9	3	2	2	1
	地下水	4,278	3,400	498	233	95	33	11	5	1	0	2	0
	その他	2,012	1,134	379	246	157	70	16	7	1	2	0	0
ブromホルム			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	8,371	8,217	119	26	7	0	0	1	0	1	0	0
	表流水	1,756	1,725	25	3	2	0	0	1	0	0	0	0
	ダム湖沼	325	313	8	2	1	0	0	0	0	1	0	0
	地下水	4,278	4,214	45	16	3	0	0	0	0	0	0	0
	その他	2,012	1,965	41	5	1	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ホルムアルデヒド			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	8,369	8,324	37	4	2	0	0	0	0	0	1	1
	表流水	1,754	1,744	7	2	1	0	0	0	0	0	0	0
	ダム湖沼	325	324	1	0	0	0	0	0	0	0	0	0
	地下水	4,278	4,254	19	2	1	0	0	0	0	0	1	1
	その他	2,012	2,002	10	0	0	0	0	0	0	0	0	0
亜鉛及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	7,675	7,409	110	50	16	69	16	4	1	0	0	0
	表流水	1,591	1,545	19	16	2	8	1	0	0	0	0	0
	ダム湖沼	304	300	2	0	0	1	0	1	0	0	0	0
	地下水	3,896	3,729	64	24	11	53	12	2	1	0	0	0
	その他	1,884	1,835	25	10	3	7	3	1	0	0	0	0
アルミニウム及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	7,840	6,041	892	439	188	113	60	40	19	22	12	14
	表流水	1,656	1,018	298	141	73	43	28	20	10	9	7	9
	ダム湖沼	315	165	61	38	28	10	4	2	2	3	1	1
	地下水	3,966	3,526	236	97	42	30	10	9	4	5	3	4
	その他	1,903	1,332	297	163	45	30	18	9	3	5	1	0
鉄及びその化合物			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	7,803	7,378	249	87	31	20	8	12	7	5	3	3
	表流水	1,642	1,537	61	23	10	3	3	3	1	0	1	0
	ダム湖沼	312	284	18	3	0	4	1	0	0	0	0	2
	地下水	3,948	3,766	114	37	10	6	2	3	4	4	1	1
	その他	1,901	1,791	56	24	11	7	2	6	2	1	1	0
銅及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	7,678	7,352	161	55	19	66	15	6	2	2	0	0
	表流水	1,594	1,569	16	2	4	2	1	0	0	0	0	0
	ダム湖沼	307	300	3	1	2	1	0	0	0	0	0	0
	地下水	3,893	3,653	112	44	12	54	11	5	1	1	0	0
	その他	1,884	1,830	30	8	1	9	3	1	1	1	0	0
ナトリウム及びその化合物			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	7,693	1,687	3,124	2,161	611	71	29	8	1	1	0	0
	表流水	1,598	524	618	369	79	7	1	0	0	0	0	0
	ダム湖沼	306	42	127	96	36	3	2	0	0	0	0	0
	地下水	3,911	572	1,665	1,243	346	55	23	6	0	1	0	0
	その他	1,878	549	714	453	150	6	3	2	1	0	0	0
マンガン及びその化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	7,709	7,579	68	28	14	6	6	1	1	0	4	2
	表流水	1,601	1,579	9	3	5	0	1	1	0	0	2	1
	ダム湖沼	309	302	4	2	0	1	0	0	0	0	0	0
	地下水	3,911	3,824	45	21	9	5	5	0	1	0	0	1
	その他	1,888	1,874	10	2	0	0	0	0	0	0	2	0
塩化物イオン			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	8,380	2,117	2,586	2,398	984	219	37	22	10	6	1	0
	表流水	1,758	517	433	512	253	38	3	1	1	0	0	0
	ダム湖沼	325	28	67	162	50	12	0	3	0	2	1	0
	地下水	4,281	993	1,483	1,235	423	103	20	14	6	4	0	0
	その他	2,016	579	603	489	258	66	14	4	3	0	0	0
カルシウム、マグネシウム等(硬度)			～10	～20	～30	～50	～80	～100	～150	～200	～250	～300	301～
	全体	7,930	272	896	1,292	2,456	1,883	646	409	59	15	2	0
	表流水	1,627	142	310	352	461	247	75	35	5	0	0	0
	ダム湖沼	311	18	40	71	108	43	19	9	2	1	0	0
	地下水	4,059	57	242	481	1,283	1,269	413	263	41	9	1	0
	その他	1,933	55	304	388	604	324	139	102	11	5	1	0
蒸発残留物			～30	～50	～100	～150	～200	～250	～300	～350	～400	～500	501～
	全体	8,064	118	593	3,195	2,301	1,176	456	147	37	25	16	0
	表流水	1,655	71	249	825	355	100	41	11	1	0	2	0
	ダム湖沼	319	1	30	181	63	23	12	4	3	1	1	0
	地下水	4,132	14	126	1,283	1,461	804	290	98	27	19	10	0
	その他	1,958	32	188	906	422	249	113	34	6	5	3	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
陰イオン界面活性剤			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	7,652	7,648	0	1	1	0	0	0	0	0	2	0
	表流水	1,594	1,592	0	0	0	0	0	0	0	0	2	0
	ダム湖沼	302	302	0	0	0	0	0	0	0	0	0	0
	地下水	3,890	3,888	0	1	1	0	0	0	0	0	0	0
	その他	1,866	1,866	0	0	0	0	0	0	0	0	0	0
ジェオスミン			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	7,700	6,940	399	264	56	21	15	1	0	0	2	2
	表流水	1,643	1,345	150	109	21	11	6	0	0	0	1	0
	ダム湖沼	312	190	49	44	19	4	4	0	0	0	0	2
	地下水	3,877	3,769	68	27	3	5	4	1	0	0	0	0
	その他	1,868	1,636	132	84	13	1	1	0	0	0	1	0
2-メチルイソボルネオール			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	7,701	7,354	224	93	18	7	4	0	0	0	0	1
	表流水	1,643	1,526	68	32	10	4	2	0	0	0	0	1
	ダム湖沼	312	264	26	13	5	3	1	0	0	0	0	0
	地下水	3,878	3,827	39	11	0	0	1	0	0	0	0	0
	その他	1,868	1,737	91	37	3	0	0	0	0	0	0	0
非イオン界面活性剤			～0.005	～0.006	～0.007	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	7,726	7,703	12	5	2	2	0	0	1	0	1	0
	表流水	1,604	1,598	2	2	0	1	0	0	1	0	0	0
	ダム湖沼	304	303	0	0	0	0	0	0	0	0	1	0
	地下水	3,942	3,936	4	1	1	0	0	0	0	0	0	0
	その他	1,876	1,866	6	2	1	1	0	0	0	0	0	0
フェノール類			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	7,646	7,634	2	0	0	0	0	0	0	0	10	0
	表流水	1,592	1,588	2	0	0	0	0	0	0	0	2	0
	ダム湖沼	302	302	0	0	0	0	0	0	0	0	0	0
	地下水	3,889	3,885	0	0	0	0	0	0	0	0	4	0
	その他	1,863	1,859	0	0	0	0	0	0	0	0	4	0
有機物(TOCの量)			～0.5	0.6	0.7	0.8	0.9	1	～2.0	～3.0	～4.0	～5.0	5.1～
	全体	8,380	5,255	649	534	517	379	284	722	38	2	0	0
	表流水	1,758	532	239	210	199	149	115	291	22	1	0	0
	ダム湖沼	325	42	31	31	39	41	26	109	6	0	0	0
	地下水	4,281	3,495	208	148	135	88	61	137	8	1	0	0
	その他	2,016	1,186	171	145	144	101	82	185	2	0	0	0
pH値			～5.8	～6.0	～6.3	～6.6	～6.9	～7.2	～7.5	～7.8	～8.2	～8.6	8.7～
	全体	8,380	0	0	34	188	616	1,485	2,389	2,269	1,197	200	2
	表流水	1,758	0	0	0	3	58	287	624	533	227	25	1
	ダム湖沼	325	0	0	0	0	12	66	111	111	24	1	0
	地下水	4,281	0	0	28	156	438	887	1,030	948	662	131	1
	その他	2,016	0	0	6	29	108	245	624	677	284	43	0
味の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	7	7	0	0	0	0	0	0	0	0	0	0
	表流水	1	1	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	0	0	0	0	0	0	0	0	0	0	0	0
	地下水	3	3	0	0	0	0	0	0	0	0	0	0
	その他	3	3	0	0	0	0	0	0	0	0	0	0
臭気の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	7	7	0	0	0	0	0	0	0	0	0	0
	表流水	1	1	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	0	0	0	0	0	0	0	0	0	0	0	0
	地下水	3	3	0	0	0	0	0	0	0	0	0	0
	その他	3	3	0	0	0	0	0	0	0	0	0	0
色度			～0.5	～1.0	～1.5	～2.0	～2.5	～3.0	～3.5	～4.0	～4.5	～5.0	5.1～
	全体	8,380	6,173	1,402	352	224	81	67	25	23	13	13	7
	表流水	1,758	950	451	147	102	39	34	9	8	8	7	3
	ダム湖沼	325	206	76	18	11	6	2	0	2	1	1	2
	地下水	4,281	3,406	589	135	81	21	19	11	10	3	4	2
	その他	2,016	1,611	286	52	30	15	12	5	3	1	1	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
濁度			～0.1	～0.2	～0.4	～0.6	～0.8	～1.0	～1.2	～1.4	～1.6	～2.0	2.1～
全体	8,380	7,333	522	278	113	47	43	7	9	13	12	3	
表流水	1,758	1,484	144	64	25	12	14	2	3	6	3	1	
ダム湖沼	325	294	14	9	2	1	2	0	0	0	2	1	
地下水	4,281	3,780	268	128	54	22	17	2	4	4	1	1	
その他	2,016	1,775	96	77	32	12	10	3	2	3	6	0	
アンチモン及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体	2,704	2,700	3	1	0	0	0	0	0	0	0	0	0
表流水	673	672	1	0	0	0	0	0	0	0	0	0	0
ダム湖沼	168	168	0	0	0	0	0	0	0	0	0	0	0
地下水	1,215	1,212	2	1	0	0	0	0	0	0	0	0	0
その他	648	648	0	0	0	0	0	0	0	0	0	0	0
ウラン及びその化合物			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体	2,682	2,641	27	5	2	2	2	0	1	0	1	1	
表流水	667	664	2	0	1	0	0	0	0	0	0	0	0
ダム湖沼	160	159	0	1	0	0	0	0	0	0	0	0	0
地下水	1,210	1,177	23	4	0	2	2	0	0	0	1	1	
その他	645	641	2	0	1	0	0	0	1	0	0	0	0
ニッケル及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体	2,966	2,941	11	8	3	2	0	0	0	0	1	0	0
表流水	729	723	3	2	1	0	0	0	0	0	0	0	0
ダム湖沼	182	182	0	0	0	0	0	0	0	0	0	0	0
地下水	1,339	1,324	5	6	2	1	0	0	0	1	0	0	0
その他	716	712	3	0	0	1	0	0	0	0	0	0	0
1,2-ジクロロエタン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
全体	2,619	2,618	0	0	0	0	0	0	0	0	0	1	0
表流水	642	642	0	0	0	0	0	0	0	0	0	0	0
ダム湖沼	157	157	0	0	0	0	0	0	0	0	0	0	0
地下水	1,182	1,182	0	0	0	0	0	0	0	0	0	0	0
その他	638	637	0	0	0	0	0	0	0	0	0	1	0
トルエン			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
全体	2,665	2,665	0	0	0	0	0	0	0	0	0	0	0
表流水	642	642	0	0	0	0	0	0	0	0	0	0	0
ダム湖沼	159	159	0	0	0	0	0	0	0	0	0	0	0
地下水	1,226	1,226	0	0	0	0	0	0	0	0	0	0	0
その他	638	638	0	0	0	0	0	0	0	0	0	0	0
フタル酸ジ(2-エチルヘキシル)			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
全体	2,475	2,468	7	0	0	0	0	0	0	0	0	0	0
表流水	627	625	2	0	0	0	0	0	0	0	0	0	0
ダム湖沼	162	162	0	0	0	0	0	0	0	0	0	0	0
地下水	1,101	1,097	4	0	0	0	0	0	0	0	0	0	0
その他	585	584	1	0	0	0	0	0	0	0	0	0	0
亜塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体	1,415	1,414	0	0	0	0	0	0	0	0	1	0	0
表流水	359	359	0	0	0	0	0	0	0	0	0	0	0
ダム湖沼	113	113	0	0	0	0	0	0	0	0	0	0	0
地下水	740	740	0	0	0	0	0	0	0	0	0	0	0
その他	203	202	0	0	0	0	0	0	0	0	1	0	0
二酸化塩素			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体	760	760	0	0	0	0	0	0	0	0	0	0	0
表流水	170	170	0	0	0	0	0	0	0	0	0	0	0
ダム湖沼	36	36	0	0	0	0	0	0	0	0	0	0	0
地下水	444	444	0	0	0	0	0	0	0	0	0	0	0
その他	110	110	0	0	0	0	0	0	0	0	0	0	0
ジクロロアセトニトリル			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体	3,259	3,247	11	1	0	0	0	0	0	0	0	0	0
表流水	805	797	7	1	0	0	0	0	0	0	0	0	0
ダム湖沼	201	200	1	0	0	0	0	0	0	0	0	0	0
地下水	1,525	1,525	0	0	0	0	0	0	0	0	0	0	0
その他	728	725	3	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
抱水クロラール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	3,261	2,695	404	107	36	14	4	1	0	0	0	0
	表流水	806	569	159	43	24	7	4	0	0	0	0	0
	ダム湖沼	201	121	47	20	9	3	0	1	0	0	0	0
	地下水	1,525	1,462	52	8	0	3	0	0	0	0	0	0
	その他	729	543	146	36	3	1	0	0	0	0	0	0
農薬類			～0.01	～0.02	～0.03	～0.05	～0.10	～0.20	～0.30	～0.50	～0.70	～1.00	1.01～
	全体	1,312	1,275	12	9	3	8	0	1	0	0	4	0
	表流水	428	404	10	7	3	3	0	0	0	0	1	0
	ダム湖沼	109	106	2	1	0	0	0	0	0	0	0	0
	地下水	552	543	0	1	0	5	0	0	0	0	3	0
	その他	223	222	0	0	0	0	0	1	0	0	0	0
残留塩素			<0.1	0.1	0.2	0.3	0.4	0.5	0.6	～0.8	～1.0	～1.2	1.3～
	全体	8,348	11	109	714	1,628	2,015	1,497	1,027	954	318	41	34
	表流水	1,751	0	8	56	188	357	356	281	327	135	25	18
	ダム湖沼	324	0	1	8	19	61	61	62	73	34	2	3
	地下水	4,262	11	63	445	1,080	1,111	709	422	313	92	4	12
	その他	2,011	0	37	205	341	486	371	262	241	57	10	1
遊離炭酸			～2.0	～4.0	～6.0	～8.0	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	20.1～
	全体	2,948	679	906	469	306	167	118	71	50	44	35	103
	表流水	730	225	285	124	61	17	9	4	1	0	0	4
	ダム湖沼	183	34	85	39	17	4	1	1	1	1	0	0
	地下水	1,368	256	298	176	166	114	89	57	41	40	33	98
	その他	667	164	238	130	62	32	19	9	7	3	2	1
1,1,1-トリクロロエタン			～0.030	～0.060	～0.090	～0.120	～0.150	～0.180	～0.210	～0.240	～0.270	～0.300	0.301～
	全体	2,737	2,737	0	0	0	0	0	0	0	0	0	0
	表流水	686	686	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	166	166	0	0	0	0	0	0	0	0	0	0
	地下水	1,223	1,223	0	0	0	0	0	0	0	0	0	0
	その他	662	662	0	0	0	0	0	0	0	0	0	0
メチル-tert-ブチルエーテル(MTBE)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,576	2,576	0	0	0	0	0	0	0	0	0	0
	表流水	632	632	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	153	153	0	0	0	0	0	0	0	0	0	0
	地下水	1,180	1,180	0	0	0	0	0	0	0	0	0	0
	その他	611	611	0	0	0	0	0	0	0	0	0	0
有機物等(過マンガン酸カリウム消費量)			～0.3	～0.6	～0.9	～1.2	～1.5	～1.8	～2.1	～2.4	～2.7	～3.0	3.1～
	全体	2,106	399	338	328	329	235	161	106	75	45	51	39
	表流水	543	25	63	67	91	92	49	48	40	20	26	22
	ダム湖沼	132	3	11	3	25	27	14	11	8	10	13	7
	地下水	962	272	193	180	139	62	54	23	15	7	9	8
	その他	469	99	71	78	74	54	44	24	12	8	3	2
臭気強度(TON)			0	1	2	3	4	5	6	～8	～10	～15	16～
	全体	2,674	2,142	339	103	52	22	9	2	4	1	0	0
	表流水	648	474	96	42	21	7	5	1	2	0	0	0
	ダム湖沼	168	123	22	12	1	5	2	1	2	0	0	0
	地下水	1,246	1,055	124	34	22	9	2	0	0	0	0	0
	その他	612	490	97	15	8	1	0	0	0	1	0	0
腐食性(ランゲリア指数)			～-4.0	～-3.5	～-3.0	～-2.5	～-2.0	～-1.5	～-1.0	～-0.5	～0.0	～0.5	0.6～
	全体	2,910	18	12	59	142	432	711	864	446	161	32	33
	表流水	727	3	7	29	55	132	180	233	66	12	2	8
	ダム湖沼	185	2	2	3	19	32	44	49	22	7	0	5
	地下水	1,330	13	2	16	42	152	297	399	260	107	24	18
	その他	668	0	1	11	26	116	190	183	98	35	6	2
従属栄養細菌			0	～200	～400	～600	～800	～1000	～1200	～1400	～1600	～2000	2001～
	全体	3,083	1,099	1,947	19	6	2	2	1	0	4	0	3
	表流水	753	357	390	2	1	0	1	0	0	0	0	2
	ダム湖沼	195	111	83	0	0	0	0	0	0	1	0	0
	地下水	1,444	354	1,064	15	3	2	1	1	0	3	0	1
	その他	691	277	410	2	2	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
1,1-ジクロロエチレン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,756	2,745	0	0	0	11	0	0	0	0	0	0
	表流水	687	687	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	156	156	0	0	0	0	0	0	0	0	0	0
	地下水	1,255	1,249	0	0	0	6	0	0	0	0	0	0
	その他	658	653	0	0	0	5	0	0	0	0	0	0
1,3-ジクロロプロペン (D-ド)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,071	1,071	0	0	0	0	0	0	0	0	0	0
	表流水	341	341	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	463	463	0	0	0	0	0	0	0	0	0	0
	その他	187	187	0	0	0	0	0	0	0	0	0	0
2,2-DPA(ダラポン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	823	821	1	1	0	0	0	0	0	0	0	0
	表流水	279	277	1	1	0	0	0	0	0	0	0	0
	ダム湖沼	71	71	0	0	0	0	0	0	0	0	0	0
	地下水	341	341	0	0	0	0	0	0	0	0	0	0
	その他	132	132	0	0	0	0	0	0	0	0	0	0
2,4-D(2,4-PA)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,046	1,046	0	0	0	0	0	0	0	0	0	0
	表流水	353	353	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	444	444	0	0	0	0	0	0	0	0	0	0
	その他	161	161	0	0	0	0	0	0	0	0	0	0
EPN			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	1,100	1,099	1	0	0	0	0	0	0	0	0	0
	表流水	359	358	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	480	480	0	0	0	0	0	0	0	0	0	0
	その他	179	179	0	0	0	0	0	0	0	0	0	0
MCPA			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.00400	～0.0045	～0.0050	0.0051～
	全体	910	910	0	0	0	0	0	0	0	0	0	0
	表流水	328	328	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	360	360	0	0	0	0	0	0	0	0	0	0
	その他	140	140	0	0	0	0	0	0	0	0	0	0
アシュラム			～0.009	～0.018	～0.027	～0.045	～0.063	～0.090	～0.270	～0.450	～0.630	～0.90	0.901～
	全体	1,011	1,008	0	0	0	0	3	0	0	0	0	0
	表流水	351	351	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	413	410	0	0	0	0	3	0	0	0	0	0
	その他	165	165	0	0	0	0	0	0	0	0	0	0
アセフェート			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	1,067	1,067	0	0	0	0	0	0	0	0	0	0
	表流水	345	345	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	469	469	0	0	0	0	0	0	0	0	0	0
	その他	175	175	0	0	0	0	0	0	0	0	0	0
アトラジン			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	1,076	1,076	0	0	0	0	0	0	0	0	0	0
	表流水	361	361	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	462	462	0	0	0	0	0	0	0	0	0	0
	その他	169	169	0	0	0	0	0	0	0	0	0	0
アニロホス			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	962	958	4	0	0	0	0	0	0	0	0	0
	表流水	321	321	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	406	402	4	0	0	0	0	0	0	0	0	0
	その他	154	154	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
アミトラズ			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	758	758	0	0	0	0	0	0	0	0	0	0
	表流水	271	271	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	65	65	0	0	0	0	0	0	0	0	0	0
	地下水	317	317	0	0	0	0	0	0	0	0	0	0
	その他	105	105	0	0	0	0	0	0	0	0	0	0
アラクロール			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	1,096	1,088	0	7	1	0	0	0	0	0	0	0
	表流水	368	367	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	87	86	0	1	0	0	0	0	0	0	0	0
	地下水	472	466	0	5	1	0	0	0	0	0	0	0
	その他	169	169	0	0	0	0	0	0	0	0	0	0
イソキサチオン			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,141	1,141	0	0	0	0	0	0	0	0	0	0
	表流水	362	362	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	503	503	0	0	0	0	0	0	0	0	0	0
	その他	195	195	0	0	0	0	0	0	0	0	0	0
イソフェンホス			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	1,029	1,024	0	5	0	0	0	0	0	0	0	0
	表流水	340	340	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	76	76	0	0	0	0	0	0	0	0	0	0
	地下水	435	430	0	5	0	0	0	0	0	0	0	0
	その他	178	178	0	0	0	0	0	0	0	0	0	0
イソプロカルブ (MIPC)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	1,010	1,010	0	0	0	0	0	0	0	0	0	0
	表流水	331	331	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	438	438	0	0	0	0	0	0	0	0	0	0
	その他	159	159	0	0	0	0	0	0	0	0	0	0
イソプロチオラン (IPT)			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	1,145	1,137	0	0	0	0	8	0	0	0	0	0
	表流水	373	372	0	0	0	0	1	0	0	0	0	0
	ダム湖沼	89	88	0	0	0	0	1	0	0	0	0	0
	地下水	494	488	0	0	0	0	6	0	0	0	0	0
	その他	189	189	0	0	0	0	0	0	0	0	0	0
イプロベンホス (IBP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,088	1,082	0	0	0	0	0	6	0	0	0	0
	表流水	346	345	0	0	0	0	0	1	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	478	473	0	0	0	0	0	5	0	0	0	0
	その他	181	181	0	0	0	0	0	0	0	0	0	0
イミノクタジン			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	752	748	0	0	0	0	0	0	0	1	3	0
	表流水	266	265	0	0	0	0	0	0	0	1	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	305	302	0	0	0	0	0	0	0	0	3	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0
インダノファン			～0.0009	～0.0018	～0.0027	～0.0036	～0.0045	～0.0054	～0.0063	～0.0072	～0.0081	～0.0090	0.0091～
	全体	924	924	0	0	0	0	0	0	0	0	0	0
	表流水	300	300	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	403	403	0	0	0	0	0	0	0	0	0	0
	その他	141	141	0	0	0	0	0	0	0	0	0	0
エスプロカルブ			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,076	1,076	0	0	0	0	0	0	0	0	0	0
	表流水	358	358	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	450	450	0	0	0	0	0	0	0	0	0	0
	その他	180	180	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
エディフェンホス (エジフェンホス, EDDP)			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	1,004	1,004	0	0	0	0	0	0	0	0	0	0
	表流水	343	343	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	419	419	0	0	0	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
イトフェンプロックス			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	1,186	1,183	0	0	0	0	3	0	0	0	0	0
	表流水	370	370	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	95	95	0	0	0	0	0	0	0	0	0	0
	地下水	521	518	0	0	0	0	3	0	0	0	0	0
	その他	200	200	0	0	0	0	0	0	0	0	0	0
エトリジアゾール (エクロメゾール)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	999	999	0	0	0	0	0	0	0	0	0	0
	表流水	336	336	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	75	75	0	0	0	0	0	0	0	0	0	0
	地下水	415	415	0	0	0	0	0	0	0	0	0	0
	その他	173	173	0	0	0	0	0	0	0	0	0	0
エンドスルファン (ベンゾエピン)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	869	869	0	0	0	0	0	0	0	0	0	0
	表流水	287	287	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	72	72	0	0	0	0	0	0	0	0	0	0
	地下水	379	379	0	0	0	0	0	0	0	0	0	0
	その他	131	131	0	0	0	0	0	0	0	0	0	0
オキサジクロメホン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	930	930	0	0	0	0	0	0	0	0	0	0
	表流水	315	315	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	381	381	0	0	0	0	0	0	0	0	0	0
	その他	145	145	0	0	0	0	0	0	0	0	0	0
オキシ銅(有機銅)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	980	977	3	0	0	0	0	0	0	0	0	0
	表流水	337	336	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	75	75	0	0	0	0	0	0	0	0	0	0
	地下水	422	420	2	0	0	0	0	0	0	0	0	0
	その他	146	146	0	0	0	0	0	0	0	0	0	0
オリラストロビン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	848	848	0	0	0	0	0	0	0	0	0	0
	表流水	299	299	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	342	342	0	0	0	0	0	0	0	0	0	0
	その他	124	124	0	0	0	0	0	0	0	0	0	0
カズサホス			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	858	858	0	0	0	0	0	0	0	0	0	0
	表流水	301	301	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	357	357	0	0	0	0	0	0	0	0	0	0
	その他	122	122	0	0	0	0	0	0	0	0	0	0
カフェンストロール			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,183	1,178	5	0	0	0	0	0	0	0	0	0
	表流水	378	374	4	0	0	0	0	0	0	0	0	0
	ダム湖沼	97	96	1	0	0	0	0	0	0	0	0	0
	地下水	514	514	0	0	0	0	0	0	0	0	0	0
	その他	194	194	0	0	0	0	0	0	0	0	0	0
カルタツブ			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	674	674	0	0	0	0	0	0	0	0	0	0
	表流水	227	227	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	300	300	0	0	0	0	0	0	0	0	0	0
	その他	89	89	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
カルバリル (NAC)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	962	962	0	0	0	0	0	0	0	0	0	0
	表流水	340	340	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	402	402	0	0	0	0	0	0	0	0	0	0
	その他	142	142	0	0	0	0	0	0	0	0	0	0
カルプロバミド			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	895	895	0	0	0	0	0	0	0	0	0	0
	表流水	314	314	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	367	367	0	0	0	0	0	0	0	0	0	0
	その他	134	134	0	0	0	0	0	0	0	0	0	0
カルボフラン			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	935	935	0	0	0	0	0	0	0	0	0	0
	表流水	324	324	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	378	378	0	0	0	0	0	0	0	0	0	0
	その他	150	150	0	0	0	0	0	0	0	0	0	0
キノクラミン (ACN)			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	872	872	0	0	0	0	0	0	0	0	0	0
	表流水	322	322	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	335	335	0	0	0	0	0	0	0	0	0	0
	その他	131	131	0	0	0	0	0	0	0	0	0	0
キャプタン			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	1,069	1,069	0	0	0	0	0	0	0	0	0	0
	表流水	356	356	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	448	448	0	0	0	0	0	0	0	0	0	0
	その他	180	180	0	0	0	0	0	0	0	0	0	0
クミルロン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	950	950	0	0	0	0	0	0	0	0	0	0
	表流水	313	313	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	412	412	0	0	0	0	0	0	0	0	0	0
	その他	140	140	0	0	0	0	0	0	0	0	0	0
グリホサート			～0.02	～0.04	～0.06	～0.10	～0.14	～0.20	～0.60	～1.00	～1.40	～2.00	2.01～
	全体	899	896	2	1	0	0	0	0	0	0	0	0
	表流水	308	306	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	75	74	0	1	0	0	0	0	0	0	0	0
	地下水	377	377	0	0	0	0	0	0	0	0	0	0
	その他	139	139	0	0	0	0	0	0	0	0	0	0
グルホシネート			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	615	614	0	0	0	1	0	0	0	0	0	0
	表流水	222	222	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	49	48	0	0	0	1	0	0	0	0	0	0
	地下水	266	266	0	0	0	0	0	0	0	0	0	0
	その他	78	78	0	0	0	0	0	0	0	0	0	0
クロメプロップ			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	916	916	0	0	0	0	0	0	0	0	0	0
	表流水	310	310	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	378	378	0	0	0	0	0	0	0	0	0	0
	その他	140	140	0	0	0	0	0	0	0	0	0	0
クロルニトロフェン (CNP)			～0.000001	～0.000002	～0.000003	～0.000005	～0.000007	～0.000010	～0.000030	～0.000050	～0.000070	～0.000100	0.000101～
	全体	914	909	0	0	0	0	0	0	0	0	5	0
	表流水	312	311	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	377	373	0	0	0	0	0	0	0	0	4	0
	その他	146	146	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
クロロピリホス			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,127	1,127	0	0	0	0	0	0	0	0	0	0
	表流水	377	377	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	484	484	0	0	0	0	0	0	0	0	0	0
	その他	186	186	0	0	0	0	0	0	0	0	0	0
クロロタロニル (TPN)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,182	1,181	0	0	0	0	1	0	0	0	0	0
	表流水	379	379	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	513	512	0	0	0	0	1	0	0	0	0	0
	その他	204	204	0	0	0	0	0	0	0	0	0	0
シアナジン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	978	978	0	0	0	0	0	0	0	0	0	0
	表流水	322	322	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	418	418	0	0	0	0	0	0	0	0	0	0
	その他	155	155	0	0	0	0	0	0	0	0	0	0
シアノホス(CYAP)			～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	全体	895	895	0	0	0	0	0	0	0	0	0	0
	表流水	317	317	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	352	352	0	0	0	0	0	0	0	0	0	0
	その他	143	143	0	0	0	0	0	0	0	0	0	0
ジウロン (DCMU)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,016	1,016	0	0	0	0	0	0	0	0	0	0
	表流水	338	338	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	430	430	0	0	0	0	0	0	0	0	0	0
	その他	164	164	0	0	0	0	0	0	0	0	0	0
ジクロベニル (DBN)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,110	1,109	1	0	0	0	0	0	0	0	0	0
	表流水	374	374	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	477	476	1	0	0	0	0	0	0	0	0	0
	その他	179	179	0	0	0	0	0	0	0	0	0	0
ジクロロボス (DDVP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,049	1,048	0	0	0	0	1	0	0	0	0	0
	表流水	346	346	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	446	445	0	0	0	0	1	0	0	0	0	0
	その他	179	179	0	0	0	0	0	0	0	0	0	0
ジクワット			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	829	822	0	0	0	0	0	7	0	0	0	0
	表流水	282	281	0	0	0	0	0	1	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	349	343	0	0	0	0	0	6	0	0	0	0
	その他	139	139	0	0	0	0	0	0	0	0	0	0
ジスルホトン(エチルチオメトン)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	1,074	1,071	0	0	0	0	3	0	0	0	0	0
	表流水	347	347	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	478	475	0	0	0	0	3	0	0	0	0	0
	その他	168	168	0	0	0	0	0	0	0	0	0	0
ジチアノン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	389	389	0	0	0	0	0	0	0	0	0	0
	表流水	116	116	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	29	0	0	0	0	0	0	0	0	0	0
	地下水	197	197	0	0	0	0	0	0	0	0	0	0
	その他	47	47	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ジチオカルバメート系農薬			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	553	549	0	0	1	0	0	2	0	0	1	0
	表流水	199	199	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	45	0	0	1	0	0	0	0	0	0	0
	地下水	237	234	0	0	0	0	0	2	0	0	1	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
ジチオピル			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,015	1,010	5	0	0	0	0	0	0	0	0	0
	表流水	340	339	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	423	419	4	0	0	0	0	0	0	0	0	0
	その他	173	173	0	0	0	0	0	0	0	0	0	0
シハロホップブチル			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	931	931	0	0	0	0	0	0	0	0	0	0
	表流水	332	332	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	91	91	0	0	0	0	0	0	0	0	0	0
	地下水	376	376	0	0	0	0	0	0	0	0	0	0
	その他	132	132	0	0	0	0	0	0	0	0	0	0
シマジン (CAT)			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	1,129	1,128	0	0	0	1	0	0	0	0	0	0
	表流水	358	357	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	490	490	0	0	0	0	0	0	0	0	0	0
	その他	197	197	0	0	0	0	0	0	0	0	0	0
ジメタメトリン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,094	1,094	0	0	0	0	0	0	0	0	0	0
	表流水	371	371	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	93	0	0	0	0	0	0	0	0	0	0
	地下水	447	447	0	0	0	0	0	0	0	0	0	0
	その他	183	183	0	0	0	0	0	0	0	0	0	0
ジメトエート			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,076	1,076	0	0	0	0	0	0	0	0	0	0
	表流水	344	344	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	481	481	0	0	0	0	0	0	0	0	0	0
	その他	166	166	0	0	0	0	0	0	0	0	0	0
シメトリン			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,137	1,137	0	0	0	0	0	0	0	0	0	0
	表流水	373	373	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	93	0	0	0	0	0	0	0	0	0	0
	地下水	491	491	0	0	0	0	0	0	0	0	0	0
	その他	180	180	0	0	0	0	0	0	0	0	0	0
ジメピペレート			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	983	983	0	0	0	0	0	0	0	0	0	0
	表流水	325	325	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	417	417	0	0	0	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
ダイアジノン			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	1,242	1,236	3	1	0	0	2	0	0	0	0	0
	表流水	386	384	1	1	0	0	0	0	0	0	0	0
	ダム湖沼	91	91	0	0	0	0	0	0	0	0	0	0
	地下水	558	554	2	0	0	0	2	0	0	0	0	0
	その他	207	207	0	0	0	0	0	0	0	0	0	0
ダイムロン			～0.008	～0.016	～0.024	～0.040	～0.056	～0.080	～0.240	～0.400	～0.560	～0.800	0.801～
	全体	1,017	1,017	0	0	0	0	0	0	0	0	0	0
	表流水	357	357	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	98	98	0	0	0	0	0	0	0	0	0	0
	地下水	410	410	0	0	0	0	0	0	0	0	0	0
	その他	152	152	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ダゾメット、メタム(カーバム)及びメチルイソチオシアネート			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	634	634	0	0	0	0	0	0	0	0	0	0
	表流水	227	227	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	272	272	0	0	0	0	0	0	0	0	0	0
	その他	89	89	0	0	0	0	0	0	0	0	0	0
チアジニル			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	918	918	0	0	0	0	0	0	0	0	0	0
	表流水	303	303	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	389	389	0	0	0	0	0	0	0	0	0	0
	その他	141	141	0	0	0	0	0	0	0	0	0	0
チウラム			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,099	1,099	0	0	0	0	0	0	0	0	0	0
	表流水	357	357	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	478	478	0	0	0	0	0	0	0	0	0	0
	その他	177	177	0	0	0	0	0	0	0	0	0	0
チオジカルブ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	962	962	0	0	0	0	0	0	0	0	0	0
	表流水	323	323	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	415	415	0	0	0	0	0	0	0	0	0	0
	その他	145	145	0	0	0	0	0	0	0	0	0	0
チオファネートメチル			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	1,025	1,022	0	0	0	0	3	0	0	0	0	0
	表流水	332	332	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	455	452	0	0	0	0	3	0	0	0	0	0
	その他	157	157	0	0	0	0	0	0	0	0	0	0
チオベンカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,108	1,108	0	0	0	0	0	0	0	0	0	0
	表流水	361	361	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	484	484	0	0	0	0	0	0	0	0	0	0
	その他	176	176	0	0	0	0	0	0	0	0	0	0
テフリルトリオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	527	527	0	0	0	0	0	0	0	0	0	0
	表流水	196	196	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	52	52	0	0	0	0	0	0	0	0	0	0
	地下水	210	210	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
テルブカルブ(MBPMC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	960	960	0	0	0	0	0	0	0	0	0	0
	表流水	318	318	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	406	406	0	0	0	0	0	0	0	0	0	0
	その他	155	155	0	0	0	0	0	0	0	0	0	0
トリクロピル			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	1,029	1,028	1	0	0	0	0	0	0	0	0	0
	表流水	349	349	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	84	1	0	0	0	0	0	0	0	0	0
	地下水	434	434	0	0	0	0	0	0	0	0	0	0
	その他	161	161	0	0	0	0	0	0	0	0	0	0
トリクロルホン(DEP)			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	991	985	0	0	0	3	3	0	0	0	0	0
	表流水	327	326	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	69	69	0	0	0	0	0	0	0	0	0	0
	地下水	418	413	0	0	0	2	3	0	0	0	0	0
	その他	177	177	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
トリシクラゾール			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,001	1,001	0	0	0	0	0	0	0	0	0	0
	表流水	344	344	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	420	420	0	0	0	0	0	0	0	0	0	0
	その他	148	148	0	0	0	0	0	0	0	0	0	0
トリフルラリン			～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	全体	1,143	1,143	0	0	0	0	0	0	0	0	0	0
	表流水	370	370	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	92	92	0	0	0	0	0	0	0	0	0	0
	地下水	499	499	0	0	0	0	0	0	0	0	0	0
	その他	182	182	0	0	0	0	0	0	0	0	0	0
ナブロバミド			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	987	987	0	0	0	0	0	0	0	0	0	0
	表流水	333	333	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	402	402	0	0	0	0	0	0	0	0	0	0
	その他	170	170	0	0	0	0	0	0	0	0	0	0
パラコート			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	698	698	0	0	0	0	0	0	0	0	0	0
	表流水	239	239	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	44	44	0	0	0	0	0	0	0	0	0	0
	地下水	307	307	0	0	0	0	0	0	0	0	0	0
	その他	108	108	0	0	0	0	0	0	0	0	0	0
ピペロホス			～0.000009	～0.000018	～0.000027	～0.000045	～0.000063	～0.000090	～0.000270	～0.000450	～0.000630	～0.000900	0.000901～
	全体	962	956	0	1	1	4	0	0	0	0	0	0
	表流水	321	320	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	405	400	0	0	1	4	0	0	0	0	0	0
	その他	157	157	0	0	0	0	0	0	0	0	0	0
ピラクロニル			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	713	713	0	0	0	0	0	0	0	0	0	0
	表流水	261	261	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	67	67	0	0	0	0	0	0	0	0	0	0
	地下水	283	283	0	0	0	0	0	0	0	0	0	0
	その他	102	102	0	0	0	0	0	0	0	0	0	0
ピラゾキシフェン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	819	819	0	0	0	0	0	0	0	0	0	0
	表流水	291	291	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	72	72	0	0	0	0	0	0	0	0	0	0
	地下水	345	345	0	0	0	0	0	0	0	0	0	0
	その他	111	111	0	0	0	0	0	0	0	0	0	0
ピラゾリネート(ピラゾレート)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	904	904	0	0	0	0	0	0	0	0	0	0
	表流水	316	316	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	359	359	0	0	0	0	0	0	0	0	0	0
	その他	151	151	0	0	0	0	0	0	0	0	0	0
ピリダフェンチオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	990	985	1	3	1	0	0	0	0	0	0	0
	表流水	339	338	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	414	410	1	3	0	0	0	0	0	0	0	0
	その他	155	155	0	0	0	0	0	0	0	0	0	0
ピリプチカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,082	1,082	0	0	0	0	0	0	0	0	0	0
	表流水	353	353	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	464	464	0	0	0	0	0	0	0	0	0	0
	その他	179	179	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ピロキロン	全体	1,102	~0.0005	~0.0010	~0.0015	~0.0025	~0.0035	~0.0050	~0.0150	~0.0250	~0.0350	~0.0500	0.0501~
	表流水	373	1,100	1	0	1	0	0	0	0	0	0	0
	ダム湖沼	96	371	1	0	1	0	0	0	0	0	0	0
	地下水	464	96	0	0	0	0	0	0	0	0	0	0
	その他	169	464	0	0	0	0	0	0	0	0	0	0
			169	0	0	0	0	0	0	0	0	0	0
フィプロニル	全体	1,129	~0.00005	~0.00010	~0.00015	~0.00020	~0.00025	~0.00030	~0.00035	~0.00040	~0.00045	~0.00050	0.00051~
	表流水	363	1,129	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	363	0	0	0	0	0	0	0	0	0	0
	地下水	489	89	0	0	0	0	0	0	0	0	0	0
	その他	188	489	0	0	0	0	0	0	0	0	0	0
			188	0	0	0	0	0	0	0	0	0	0
フェントロチオン (MEP)	全体	1,254	~0.0001	~0.0002	~0.0003	~0.0005	~0.0007	~0.0010	~0.0030	~0.0050	~0.0070	~0.010	0.0101~
	表流水	405	1,254	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	98	405	0	0	0	0	0	0	0	0	0	0
	地下水	544	98	0	0	0	0	0	0	0	0	0	0
	その他	207	544	0	0	0	0	0	0	0	0	0	0
			207	0	0	0	0	0	0	0	0	0	0
フェノブカルブ (BPMC)	全体	1,131	~0.0003	~0.0006	~0.0009	~0.0015	~0.0021	~0.0030	~0.0090	~0.0150	~0.0210	~0.0300	0.0301~
	表流水	367	1,131	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	90	367	0	0	0	0	0	0	0	0	0	0
	地下水	491	90	0	0	0	0	0	0	0	0	0	0
	その他	183	491	0	0	0	0	0	0	0	0	0	0
			183	0	0	0	0	0	0	0	0	0	0
フェリムゾン	全体	758	~0.005	~0.010	~0.015	~0.020	~0.025	~0.030	~0.035	~0.040	~0.045	~0.050	0.051~
	表流水	253	758	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	69	253	0	0	0	0	0	0	0	0	0	0
	地下水	331	69	0	0	0	0	0	0	0	0	0	0
	その他	105	331	0	0	0	0	0	0	0	0	0	0
			105	0	0	0	0	0	0	0	0	0	0
フェンチオン (MPP)	全体	1,089	~0.00001	~0.00002	~0.00003	~0.00005	~0.00007	~0.00010	~0.00030	~0.00050	~0.00070	~0.00100	0.00101~
	表流水	361	1,089	1	1	0	6	0	0	0	0	0	0
	ダム湖沼	87	361	0	0	0	1	0	0	0	0	0	0
	地下水	473	87	0	0	0	0	0	0	0	0	0	0
	その他	168	473	1	1	0	5	0	0	0	0	0	0
			168	0	0	0	0	0	0	0	0	0	0
フェントエート (PAP)	全体	1,126	~0.00004	~0.00008	~0.00012	~0.00020	~0.00028	~0.00040	~0.00120	~0.00200	~0.00280	~0.00400	0.00401~
	表流水	364	1,126	4	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	364	1	0	0	0	0	0	0	0	0	0
	地下水	482	89	1	0	0	0	0	0	0	0	0	0
	その他	191	482	2	0	0	0	0	0	0	0	0	0
			191	0	0	0	0	0	0	0	0	0	0
フェントラザミド	全体	957	~0.001	~0.002	~0.003	~0.004	~0.005	~0.006	~0.007	~0.008	~0.009	~0.010	0.011~
	表流水	330	957	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	330	0	0	0	0	0	0	0	0	0	0
	地下水	370	93	0	0	0	0	0	0	0	0	0	0
	その他	164	370	0	0	0	0	0	0	0	0	0	0
			164	0	0	0	0	0	0	0	0	0	0
フサライド	全体	1,163	~0.001	~0.002	~0.003	~0.005	~0.007	~0.010	~0.030	~0.050	~0.070	~0.100	0.101~
	表流水	374	1,163	0	0	0	0	0	0	0	0	2	1
	ダム湖沼	102	374	0	0	0	0	0	0	0	0	0	0
	地下水	513	102	0	0	0	0	0	0	0	0	2	1
	その他	174	513	0	0	0	0	0	0	0	0	0	0
			174	0	0	0	0	0	0	0	0	0	0
ブタクロール	全体	905	~0.003	~0.006	~0.009	~0.012	~0.015	~0.018	~0.021	~0.024	~0.027	~0.030	0.031~
	表流水	325	905	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	325	0	0	0	0	0	0	0	0	0	0
	地下水	365	87	0	0	0	0	0	0	0	0	0	0
	その他	128	365	0	0	0	0	0	0	0	0	0	0
			128	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ブタミホス			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,061	1,061	0	0	0	0	0	0	0	0	0	0
	表流水	347	347	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	455	455	0	0	0	0	0	0	0	0	0	0
	その他	176	176	0	0	0	0	0	0	0	0	0	0
ブプロフェジン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,079	1,079	0	0	0	0	0	0	0	0	0	0
	表流水	347	347	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	91	91	0	0	0	0	0	0	0	0	0	0
	地下水	474	474	0	0	0	0	0	0	0	0	0	0
	その他	167	167	0	0	0	0	0	0	0	0	0	0
フルアジナム			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	872	872	0	0	0	0	0	0	0	0	0	0
	表流水	293	293	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	367	367	0	0	0	0	0	0	0	0	0	0
	その他	134	134	0	0	0	0	0	0	0	0	0	0
プレチラクロール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,187	1,185	2	0	0	0	0	0	0	0	0	0
	表流水	397	395	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	99	99	0	0	0	0	0	0	0	0	0	0
	地下水	492	492	0	0	0	0	0	0	0	0	0	0
	その他	199	199	0	0	0	0	0	0	0	0	0	0
プロシモドン			～0.0009	～0.0018	～0.0027	～0.0045	～0.0063	～0.0090	～0.0270	～0.0450	～0.0630	～0.0900	0.0901～
	全体	1,011	1,011	0	0	0	0	0	0	0	0	0	0
	表流水	336	336	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	429	429	0	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
プロチオホス			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	613	613	0	0	0	0	0	0	0	0	0	0
	表流水	230	230	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	44	44	0	0	0	0	0	0	0	0	0	0
	地下水	256	256	0	0	0	0	0	0	0	0	0	0
	その他	83	83	0	0	0	0	0	0	0	0	0	0
プロピコナゾール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,032	1,032	0	0	0	0	0	0	0	0	0	0
	表流水	340	340	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	447	447	0	0	0	0	0	0	0	0	0	0
	その他	161	161	0	0	0	0	0	0	0	0	0	0
プロピザミド			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,090	1,090	0	0	0	0	0	0	0	0	0	0
	表流水	353	353	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	475	475	0	0	0	0	0	0	0	0	0	0
	その他	178	178	0	0	0	0	0	0	0	0	0	0
プロベナゾール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,085	1,082	0	0	0	0	0	0	0	0	2	1
	表流水	374	374	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	92	89	0	0	0	0	0	0	0	0	2	1
	地下水	452	452	0	0	0	0	0	0	0	0	0	0
	その他	167	167	0	0	0	0	0	0	0	0	0	0
プロモブチド			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	1,178	1,141	0	30	5	0	2	0	0	0	0	0
	表流水	393	369	0	18	4	0	2	0	0	0	0	0
	ダム湖沼	100	99	0	1	0	0	0	0	0	0	0	0
	地下水	484	472	0	11	1	0	0	0	0	0	0	0
	その他	201	201	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ベノミル			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,007	1,007	0	0	0	0	0	0	0	0	0	0
	表流水	336	336	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	76	76	0	0	0	0	0	0	0	0	0	0
	地下水	428	428	0	0	0	0	0	0	0	0	0	0
	その他	167	167	0	0	0	0	0	0	0	0	0	0
ペンシクロン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,103	1,103	0	0	0	0	0	0	0	0	0	0
	表流水	365	365	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	94	94	0	0	0	0	0	0	0	0	0	0
	地下水	454	454	0	0	0	0	0	0	0	0	0	0
	その他	190	190	0	0	0	0	0	0	0	0	0	0
ベンゾピシクロン			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	911	911	0	0	0	0	0	0	0	0	0	0
	表流水	310	310	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	383	383	0	0	0	0	0	0	0	0	0	0
	その他	132	132	0	0	0	0	0	0	0	0	0	0
ベンゾフェナップ			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	900	899	1	0	0	0	0	0	0	0	0	0
	表流水	312	311	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	360	360	0	0	0	0	0	0	0	0	0	0
	その他	142	142	0	0	0	0	0	0	0	0	0	0
バンタゾン			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	1,114	1,113	1	0	0	0	0	0	0	0	0	0
	表流水	378	377	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	95	95	0	0	0	0	0	0	0	0	0	0
	地下水	459	459	0	0	0	0	0	0	0	0	0	0
	その他	182	182	0	0	0	0	0	0	0	0	0	0
ペンディメタリン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,166	1,157	0	9	0	0	0	0	0	0	0	0
	表流水	382	381	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	94	93	0	1	0	0	0	0	0	0	0	0
	地下水	501	494	0	7	0	0	0	0	0	0	0	0
	その他	189	189	0	0	0	0	0	0	0	0	0	0
ベンフラカルブ			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	988	988	0	0	0	0	0	0	0	0	0	0
	表流水	323	323	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	425	425	0	0	0	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
ベンフルラリン(バスロジン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	1,012	1,012	0	0	0	0	0	0	0	0	0	0
	表流水	334	334	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	422	422	0	0	0	0	0	0	0	0	0	0
	その他	171	171	0	0	0	0	0	0	0	0	0	0
ベンフレセート			～0.007	～0.014	～0.021	～0.028	～0.035	～0.042	～0.049	～0.056	～0.063	～0.070	0.071～
	全体	849	849	0	0	0	0	0	0	0	0	0	0
	表流水	315	315	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	329	329	0	0	0	0	0	0	0	0	0	0
	その他	119	119	0	0	0	0	0	0	0	0	0	0
ホスチアゼート			～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	全体	895	895	0	0	0	0	0	0	0	0	0	0
	表流水	310	310	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	76	76	0	0	0	0	0	0	0	0	0	0
	地下水	371	371	0	0	0	0	0	0	0	0	0	0
	その他	138	138	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分									
マラチオン(マラソン)			～0.007	～0.014	～0.021	～0.035	～0.049	～0.070	～0.21	～0.35	～0.49	～0.7 0.701～
	全体	1,122	1,122	0	0	0	0	0	0	0	0	0
	表流水	361	361	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0
	地下水	484	484	0	0	0	0	0	0	0	0	0
	その他	192	192	0	0	0	0	0	0	0	0	0
メコプロップ (MCP)			～0.00050	～0.00100	～0.00150	～0.00250	～0.00350	～0.00500	～0.01500	～0.02500	～0.03500	～0.05000 0.05001～
	全体	1,079	1,079	0	0	0	0	0	0	0	0	0
	表流水	366	366	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0
	地下水	450	450	0	0	0	0	0	0	0	0	0
	その他	176	176	0	0	0	0	0	0	0	0	0
メソミル			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300 0.0301～
	全体	1,046	1,043	0	0	0	0	3	0	0	0	0
	表流水	341	341	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0
	地下水	452	449	0	0	0	0	3	0	0	0	0
	その他	174	174	0	0	0	0	0	0	0	0	0
メタラキシル			～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600 0.0601～
	全体	1,129	1,129	0	0	0	0	0	0	0	0	0
	表流水	364	364	0	0	0	0	0	0	0	0	0
	ダム湖沼	95	95	0	0	0	0	0	0	0	0	0
	地下水	476	476	0	0	0	0	0	0	0	0	0
	その他	194	194	0	0	0	0	0	0	0	0	0
メチダチオン (DMTP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400 0.00401～
	全体	1,155	1,152	0	0	0	0	3	0	0	0	0
	表流水	366	366	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0
	地下水	506	503	0	0	0	0	3	0	0	0	0
	その他	198	198	0	0	0	0	0	0	0	0	0
メチルダイムロン			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300 0.0301～
	全体	989	989	0	0	0	0	0	0	0	0	0
	表流水	327	327	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0
	地下水	411	411	0	0	0	0	0	0	0	0	0
	その他	170	170	0	0	0	0	0	0	0	0	0
メトミノストロビン			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400 0.0401～
	全体	947	947	0	0	0	0	0	0	0	0	0
	表流水	317	317	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0
	地下水	402	402	0	0	0	0	0	0	0	0	0
	その他	142	142	0	0	0	0	0	0	0	0	0
メトリブジン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030 0.031～
	全体	952	952	0	0	0	0	0	0	0	0	0
	表流水	310	310	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0
	地下水	415	415	0	0	0	0	0	0	0	0	0
	その他	146	146	0	0	0	0	0	0	0	0	0
メフェナセット			～0.00009	～0.00018	～0.00027	～0.00045	～0.00063	～0.00090	～0.00270	～0.00450	～0.00630	～0.00900 0.00901～
	全体	1,167	1,158	0	9	0	0	0	0	0	0	0
	表流水	380	379	0	1	0	0	0	0	0	0	0
	ダム湖沼	95	93	0	2	0	0	0	0	0	0	0
	地下水	507	501	0	6	0	0	0	0	0	0	0
	その他	185	185	0	0	0	0	0	0	0	0	0
メブロンル			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100 0.101～
	全体	1,092	1,092	0	0	0	0	0	0	0	0	0
	表流水	355	355	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0
	地下水	470	470	0	0	0	0	0	0	0	0	0
	その他	179	179	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
モリネート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	1,157	1,153	0	0	0	0	0	4	0	0	0	0
	表流水	369	366	0	0	0	0	0	3	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	515	514	0	0	0	0	0	1	0	0	0	0
	その他	185	185	0	0	0	0	0	0	0	0	0	0
水温(℃)			～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	～22.0	～24.0	～26.0	～28.0	28.1～
	全体	6,180	7	9	41	89	221	437	678	954	1,183	1,251	1,310
	表流水	1,321	0	2	3	15	45	74	128	200	280	272	302
	ダム湖沼	275	1	1	3	1	3	12	12	23	39	71	109
	地下水	3,064	3	2	20	48	100	214	323	475	610	643	626
	その他	1,520	3	4	15	25	73	137	215	256	254	265	273
紫外線(UV)吸光度(50mmセル使用時)			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	全体	249	114	97	24	9	3	1	0	0	0	0	1
	表流水	93	27	46	16	1	2	0	0	0	0	0	1
	ダム湖沼	33	8	18	3	4	0	0	0	0	0	0	0
	地下水	74	58	13	2	1	0	0	0	0	0	0	0
	その他	49	21	20	3	3	1	1	0	0	0	0	0
侵食性遊離炭酸			～2.5	～5.0	～7.5	～10.0	～12.5	～15.0	～17.5	～20.0	～22.5	～25.0	25.1～
	全体	311	94	85	49	33	16	13	5	2	2	5	7
	表流水	75	27	28	14	3	3	0	0	0	0	0	0
	ダム湖沼	22	7	10	3	2	0	0	0	0	0	0	0
	地下水	149	35	27	25	22	12	8	4	2	2	5	7
	その他	65	25	20	7	6	1	5	1	0	0	0	0
生物(n/ml)			～10.0	～50.0	～100.0	～500.0	～1000.0	～5000.0	～10000.0	～50000.0	～100000.0	～500000.0	500000.1～
	全体	32	24	5	2	1	0	0	0	0	0	0	0
	表流水	19	11	5	2	1	0	0	0	0	0	0	0
	ダム湖沼	5	5	0	0	0	0	0	0	0	0	0	0
	地下水	8	8	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
アルカリ度			～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	～100.0	100.1～
	全体	1,154	17	118	220	253	228	129	87	33	25	19	25
	表流水	396	16	65	104	96	65	28	13	2	3	1	3
	ダム湖沼	87	1	12	18	27	9	9	5	1	1	0	4
	地下水	440	0	11	40	82	104	77	53	26	16	16	15
	その他	231	0	30	58	48	50	15	16	4	5	2	3
硫酸イオン			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	635	115	176	158	75	58	28	11	2	4	1	7
	表流水	192	30	43	48	32	18	16	2	0	1	0	2
	ダム湖沼	36	2	16	12	3	1	2	0	0	0	0	0
	地下水	260	53	78	71	27	21	4	3	0	1	0	2
	その他	147	30	39	27	13	18	6	6	2	2	1	3
溶性ケイ酸			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	196	4	7	51	44	14	27	12	20	13	4	0
	表流水	48	0	0	24	14	3	4	2	1	0	0	0
	ダム湖沼	14	2	1	6	3	1	1	0	0	0	0	0
	地下水	98	1	3	15	18	7	17	8	17	9	3	0
	その他	36	1	3	6	9	3	5	2	2	4	1	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。